

# SNA-15

# catalogi:online



Trekkers  
en Draaduithalers  
(357-366)

# BAHCO



AKKERMANS  
INDUSTRIAL ENGINEERING





## Extractors & Pullers

## MECHANICAL

### 2-Arm Universal Pullers with Induction Hardened Spindle and Galvanized Finish



#### 4532

| 25-80 mm   | 100 mm | 1 | 4532-A    |
|------------|--------|---|-----------|
| 25-80 mm   | 200 mm | 1 | 4532-AL   |
| 25-130 mm  | 100 mm | 1 | 4532-B    |
| 25-130 mm  | 200 mm | 1 | 4532-BL   |
| 50-160 mm  | 150 mm | 1 | 4532-C    |
| 50-160 mm  | 300 mm | 1 | 4532-CL   |
| 60-200 mm  | 150 mm | 1 | 4532-D    |
| 80-250 mm  | 200 mm | 1 | 4532-E    |
| 80-350 mm  | 200 mm | 1 | 4532-F    |
| 110-520 mm | 200 mm | 1 | 4532-G    |
| 110-520 mm | 300 mm | 1 | 4532-G-SO |
| 170-640 mm | 225 mm | 1 | 4532-H    |

4532/B: Spare body 4532K: Pair of spare arms 4532LK: Pair of long spare arms

4532/S: Spare spindles

### Pair of Spare Arm for 4532 Extractor



#### 4532K-4532LK

| 4532-A, 4532-B                    | 100 mm | 1 | 4532K1  |
|-----------------------------------|--------|---|---------|
| 4532-C, 4532-D                    | 150 mm | 1 | 4532K2  |
| 4532-E, 4532-F, 4532-G            | 200 mm | 1 | 4532K3  |
| 4532-H                            | 225 mm | 1 | 4532K4  |
| 4532-AL, 4532-BL                  | 200 mm | 1 | 4532LK1 |
| 4532-CL                           | 300 mm | 1 | 4532LK2 |
| 4532-G-SO                         | 300 mm | 1 | 4532LK3 |
| 4532-E, 4532-F, 4532-G, 4532-G-SO | 400 mm | 1 | 4532LK4 |
| 4532-E, 4532-F, 4532-G, 4532-G-SO | 500 mm | 1 | 4532LK5 |

### Spindle for 4532 Puller



#### 4532-S

| 4532-O, 4532-A, 4532-AL, 4532-B, 4532-BL | 1 | 4532-OAB/S |  |
|------------------------------------------|---|------------|--|
| 4532-C, 4532-CL, 4532-D                  | 1 | 4532-CD/S  |  |
| 4532-E, 4532-F, 4532-G, 4532-G-SO        | 1 | 4532-EFG/S |  |
| 4532-H                                   | 1 | 4532-H/S   |  |

### 2-Arm Universal Pullers with Galvanized Finish



#### 4532-0

| 20-90 mm | 100 mm | 1 | 4532-0 |
|----------|--------|---|--------|

4532-0/B: Spare body 4532K0: Pair of spare arms

### 2-Arm Universal Pullers with Long Arms/ Spindle and Galvanized Finish



#### 3115

| 80-250 mm | 300 mm | 1 | 3115 |
|-----------|--------|---|------|

### 2-Arm Universal Puller Set Displays with Galvanized Finish




#### 4532ST/5

| 16700 g | 1 | 4532ST/5 |  |
|---------|---|----------|--|

4532-A, 4532-B, 4532-C, 4532-D, 4532-E

### 3-Leg and Multi Arm Pullers



#### 4533

| 150-700 mm | 185 mm | 1 | 4533HP   |
|------------|--------|---|----------|
| 150-700 mm | 200 mm | 1 | 4533M    |
|            | 185 mm | 1 | 4533HPK  |
|            | 200 mm | 1 | 4533MK   |
|            |        | 1 | 4533HP/S |
|            |        | 1 | 4533M/S  |

4533HP: hydraulic 4533M: mechanical 4533/S: Spare spindle 4533/K: Set of 3 spare arms

### Hydraulic Rams with Galvanized Finish



#### 4529

| 8 to 15 to | 60 N·m<br>70 N·m | 1 | 4529-8<br>4529-15 |
|------------|------------------|---|-------------------|

## 3-Arm Hydraulic Extractors

**4528**

| 50-350 mm | 135 mm | 1 | 4528-1 |
|-----------|--------|---|--------|

4528K: Set of 3 spare arms 4528/B: Spare body 4533HP/S: Spare hydraulic spindle

## 2-Arm Heavy Duty Pullers with Galvanized Finish

**4544**

| 10-100 mm | 80 mm  | 1 | 4544-1     |
|-----------|--------|---|------------|
| 10-120 mm | 120 mm | 1 | 4544-2     |
| 20-160 mm | 160 mm | 1 | 4544-3     |
| 20-200 mm | 200 mm | 1 | 4544-4     |
|           |        | 1 | 4544-110/S |
|           |        | 1 | 4544-220/S |
|           |        | 1 | 4519-1/S   |
|           |        | 1 | 4544-440/S |

4544-1/4: w/2 arms 4544-10/30: w/3 arms 4544/B: spare body 4544K: spare arm 4544/S: spare spindle

## 3-Arm Heavy Duty Pullers with Galvanized Finish

**4544-**

| 10-100 mm | 80 mm  | 1 | 4544-10 |
|-----------|--------|---|---------|
| 10-120 mm | 120 mm | 1 | 4544-20 |
| 20-160 mm | 160 mm | 1 | 4544-30 |

## 2-Arm Heavy Duty Pullers with Galvanized Finish

**4543**

| 10-60 mm | 40 mm | 1 | 4543-1   |
|----------|-------|---|----------|
| 10-70 mm | 74 mm | 1 | 4543-2   |
| 10-90 mm | 84 mm | 1 | 4543-3   |
|          |       | 1 | 4543-1/S |
|          |       | 1 | 4543-2/S |
|          |       | 1 | 4543-3/S |

4543-1/3: w/2 arms 4543-10/30: w/3 arms 4543/B: Spare body 4543K: Spare arm 4543/S: Spare spindle

## 3-Arm Light Duty Pullers with Galvanized Finish

**4543-**

| 10-60 mm | 40 mm | 1 | 4543-10 |
|----------|-------|---|---------|
| 10-70 mm | 74 mm | 1 | 4543-20 |
| 10-90 mm | 84 mm | 1 | 4543-30 |

## 3-Arm Pullers with Galvanized Finish

**4542**

| 20-150 mm | 85 mm  | 1 | 4542-A |
|-----------|--------|---|--------|
| 40-220 mm | 130 mm | 1 | 4542-B |

4542/B: Spare body 4541K: Spare arm 4532-4519/S: Spare spindle

## 2-Arm Puller with Galvanized Finish

**4537**

| 20-170 mm | 130 mm | 1 | 4537-1 |
|-----------|--------|---|--------|
| 20-230 mm | 200 mm | 1 | 4537-2 |
| 50-300 mm | 250 mm | 1 | 4537-3 |
| 50-350 mm | 350 mm | 1 | 4537-4 |

4537/B: Spare body 4537K: Spare arm 4532-4519/S: Spare spindle

## 3-Arm Pullers for 4528M1/4528M2/4528M3 Extractors

**4528M**

| 20-170 mm | 130 mm | 1 | 4528M1 |
|-----------|--------|---|--------|
| 20-230 mm | 200 mm | 1 | 4528M2 |
| 50-300 mm | 250 mm | 1 | 4528M3 |
| 50-350 mm | 350 mm | 1 | 4528M4 |
| 50-400 mm | 400 mm | 1 | 4528M5 |

4528M/B: Spare body 4537K-4528MK: Spare arm 4532/S-4519/S: Spare spindle





## 2-Arm Pullers with Clamp and Galvanized Finish



### 4519

| 20-110 mm | 80-170 mm | 1 | 4519-1 |
|-----------|-----------|---|--------|
| 40-150 mm | 90-270 mm | 1 | 4519-2 |
| 40-150 mm | 90-330 mm | 1 | 4519-3 |

4519/B: spare body 4519K: spare arm 4519/S: spare spindle

## Scissor-Type Pullers with Galvanized Finish



### 4614

| 6-100 mm  | 70-85 mm  | 1 | 4614-1 |
|-----------|-----------|---|--------|
| 10-140 mm | 85-120 mm | 1 | 4614-2 |

4614/B: spare body 4614K: pair of spare arms 4543-4532/S: spare spindle

## Multiple Extractors



### 4540

| 30-170 mm | 65-140 mm | 1 | 4540-17   |
|-----------|-----------|---|-----------|
|           |           | 1 | 4540-17/S |
| 75-250 mm | 77-180 mm | 1 | 4540-25   |
|           |           | 1 | 4540-25/S |

## Extractors for Separators



### 4552

| 4551-A-B |  | 1 | 4552-1 |
|----------|--|---|--------|
| 4551-C   |  | 1 | 4552-2 |
| 4551-D   |  | 1 | 4552-3 |

4552/B: Spare body 4552K: Spare tie rod 4532/S: Spare spindle

## Separators with Galvanized Finish



### 4551

| 4552-1 |  | 1 | 4551-A |
|--------|--|---|--------|
| 4552-1 |  | 1 | 4551-B |
| 4552-2 |  | 1 | 4551-C |
| 4552-3 |  | 1 | 4551-D |

4551/S: spare spindle

## Pullers and Separator Set with Galvanized Finish



### 4574

| 105 x 300 x 360 mm |  | 1 | 4574 |
|--------------------|--|---|------|

4532-A, 4532-C

4532LK1, 4532LK2

4551-C

4529-15

## Ball Bearing Extractors without Arms



### 4581N-4583N

| 4581NA, 4581NB          |  | 1 | 4581N-1 |
|-------------------------|--|---|---------|
| 4581NB2, 4581NC, 4582NA |  | 1 | 4582N-1 |
| 4581NC, 4582NA, 4582NB  |  | 1 | 4582N-2 |
| 4582NA, 4583NA          |  | 1 | 4583N-1 |
| 4582NA, 4582NB, 4583NB  |  | 1 | 4583N-2 |

## Extractors Spare Arms Set



### 4581NA-4583NB

| 145 mm | 4581N-1                            | 1 | 4581NA  |
|--------|------------------------------------|---|---------|
| 120 mm | 4581N-1                            | 1 | 4581NB  |
| 130 mm | 4582N-1                            | 1 | 4581NB2 |
| 130 mm | 4582N-1, 4582N-2                   | 1 | 4581NC  |
| 150 mm | 4582N-1, 4582N-2, 4583N-1, 4583N-2 | 1 | 4582NA  |
| 150 mm | 4582N-2, 4583N-2                   | 1 | 4582NB  |
| 190 mm | 4583N-1                            | 1 | 4583NA  |
| 235 mm | 4583N-2                            | 1 | 4583NB  |

## Ball Bearing Puller Set with Galvanized Finish



### 4580N/7

| 66 x 192 x 287 mm |  | 1 | 4580N/7 |
|-------------------|--|---|---------|

4581N-1, 4582N-1, 4582N-2, 4583N-1, 4583N-2, 4581NA to 4583NB

## Ball Bearing Extractor Set with Galvanized Finish



**4578**

|                   |   |      |
|-------------------|---|------|
|                   |   |      |
| 75 x 235 x 285 mm | 1 | 4578 |

4581N-1, 4582N-2, 4581NA, 4581NB, 4581NB2, 4581NC

## Ball Bearing Internal Extractors with Gunmetal Finish



**4521N**

|           |   |          |
|-----------|---|----------|
|           |   |          |
| 5-7 mm    | 1 | 4521N-00 |
| 7-9 mm    | 1 | 4521N-0  |
| 9-12 mm   | 1 | 4521N-A  |
| 10-13 mm  | 1 | 4521N-B  |
| 13-17 mm  | 1 | 4521N-C  |
| 14-19 mm  | 1 | 4521N-D  |
| 16-21 mm  | 1 | 4521N-E  |
| 18-23 mm  | 1 | 4521N-F  |
| 20-25 mm  | 1 | 4521N-G  |
| 25-30 mm  | 1 | 4521N-H  |
| 30-37 mm  | 1 | 4521N-I  |
| 35-42 mm  | 1 | 4521N-K  |
| 38-45 mm  | 1 | 4521N-L  |
| 43-50 mm  | 1 | 4521N-M  |
| 40-75 mm  | 1 | 4521N-S  |
| 70-115 mm | 1 | 4521N-T  |

## 2-Arm Counter Stay Extractors with Galvanized Finish



**4522**

|           |   |        |
|-----------|---|--------|
|           |   |        |
| 35-75 mm  | 1 | 4522-1 |
| 60-130 mm | 1 | 4522-2 |

4522/B: Spare body 4522/K: Spare arm 4522/S: Spare spindle

## Sliding Hammer Pulling Bars with Gunmetal Finish



**4523G**

|            |   |       |
|------------|---|-------|
|            |   |       |
| Ø10x170 mm | 1 | 4523G |

## Sliding Hammer Pulling Bars with Galvanized Finish



**4524G**

|              |   |       |
|--------------|---|-------|
|              |   |       |
| Ø16 x 250 mm | 1 | 4524G |

## Complete Workshop Puller Assortment Set - 9 Pcs



**4521N/7**

|                   |        |           |
|-------------------|--------|-----------|
|                   |        |           |
| 95 x 360 x 310 mm | 6800 g | 1 4521N/7 |

4521N-B, 4521N-D, 4521N-H, 4521N-I, 4521N-L, 4521N-S, 4521N-G

4522-2, 4522-1

## Universal Ball Joint Pullers with Galvanized Finish



**4545-N**

|           |          |            |
|-----------|----------|------------|
|           |          |            |
| Max 50 mm | 18-22 mm | 1 4545-N1  |
| Max 90 mm | 27-36 mm | 1 4545-N11 |
| Max 50 mm | 26 mm    | 1 4545-N2  |
| 60-80 mm  | 26 mm    | 1 4545-N21 |

4545/S: Spare spindle

## Universal Hub Pullers with Galvanized Finish



**4518**

|        |        |          |
|--------|--------|----------|
|        |        |          |
| 225 mm | 140 mm | 1 4518-3 |
| 225 mm | 140 mm | 1 4518-4 |
| 225 mm | 140 mm | 1 4518-5 |



## Ball Joint Extractors with Galvanized Finish

**4545**

|       |   |        |
|-------|---|--------|
| 18 mm | 1 | 4545-1 |
| 25 mm | 1 | 4545-2 |
| 29 mm | 1 | 4545-3 |
| 40 mm | 1 | 4545-4 |
| 45 mm | 1 | 4545-5 |

## Extractors Set for Car Maintenance

**4577**

|                   |   |      |
|-------------------|---|------|
| 70 x 340 x 425 mm | 1 | 4577 |
|-------------------|---|------|

4545-N2



4532-B



4614-1




4521N-D, 4521N-B, 4521N-H, 4521N-I, 4521N-G, 4521N-L



4522-1



## Internal and External Extractor with Sliding Hammer Set

**4590SHS5**

79 x 230 x 500 mm

4 4590SHS5

## Mini Puller Set with Galvanized Finish

**4579**

65 x 210 x 275 mm

1 4579

4543-2, 4543-3, 4543-1020/B, 4543-30/B, 4543K220, 4543K330

## Hydraulic Nut Splitters with Galvanised and Gunmetal Finish

**4610**

M4-M14

1 4610-1

## Mechanical Nut Splitters with Galvanised and Gunmetal Finish

**4611**

to M16

1 4611-2

to M24

1 4611-3

4611/S: spare spindles 4611/B: spare blades

## Stud Removers with Chromed Plated

**4553**

5-20 mm

1 4553

## Stud Removers with Galvanised and Gunmetal Finish

**4591-4593**

10-19 mm

1 4592

5-15 mm

1 4591

18-28 mm

1 4593

## Stud Extractors Rolled Thread



### 1420-1424

| M 3-6  | 1 | 1420-1.4 |
|--------|---|----------|
| M 6-8  | 1 | 1421-2.1 |
| M 8-11 | 1 | 1422-3.1 |
| M11-14 | 1 | 1423-4.8 |
| M14-18 | 1 | 1424-6.2 |

## Stud Extractors - 5 Pcs



### 1435/5

| 15 x 50 x 90 mm | 110 g | 1 1435/5 |
|-----------------|-------|----------|

1423-4.8, 1420-1.4, 1422-3.1, 1421-2.1, 1424-6.2

## Stud Extractors - 8 Pcs



### 1435/8

| 29 x 110 x 118 mm | 700 g | 1 1435/8 |
|-------------------|-------|----------|

1420-1.4, 1421-2.1, 1422-3.1, 1423-4.8, 1424-6.2

## Stud Extractors for Broken-Off Screws/ Bolts/Studs M5-M24



### 1419-M5/1419-M16

| M5-M10  | 1 | 1419-M5  |
|---------|---|----------|
| M8-M14  | 1 | 1419-M8  |
| M12-M20 | 1 | 1419-M12 |
| M16-M24 | 1 | 1419-M16 |

## Stud Extractor Set for Broken-Off Screws/ Bolts/Studs - 4 Pcs



### 1419/4

| M5-M24 | 430 g | 1 1419/4 |
|--------|-------|----------|

M5-M10; M8-M14; M12-M20; M16-M24

## Multi Spline Extractors Set - 15 Pcs



### BWMSP15

| 43 x 90 x 200 mm | 0.54 kg | 1 BWMSP15 |
|------------------|---------|-----------|

## Stud Extraction Bits with Blasted Finish



### BWMSP15

| 3 mm    | 13 mm | 1 BWMSP1501 |
|---------|-------|-------------|
| 4 mm    | 13 mm | 1 BWMSP1502 |
| 5 mm    | 13 mm | 1 BWMSP1503 |
| 5.5 mm  | 13 mm | 1 BWMSP1504 |
| 6 mm    | 13 mm | 1 BWMSP1505 |
| 8 mm    | 13 mm | 1 BWMSP1506 |
| 10 mm   | 13 mm | 1 BWMSP1507 |
| 1/8 in  | 13 mm | 1 BWMSP1508 |
| 3/16 in | 13 mm | 1 BWMSP1509 |
| 1/4 in  | 13 mm | 1 BWMSP1510 |
| 3/8 in  | 13 mm | 1 BWMSP1511 |
| 11 mm   | 16 mm | 1 BWMSP1512 |
| 12 mm   | 16 mm | 1 BWMSP1513 |
| 14 mm   | 16 mm | 1 BWMSP1514 |
| 1/2 in  | 16 mm | 1 BWMSP1515 |

## Stud Extractors for Broken-Off Screws/ Bolts/Studs M5-M16



### 1418S

| 25 x 127 x 162 mm | M6-M16 | 1 1418S |
|-------------------|--------|---------|

1418-4, 1418-5, 1418-6, 1418-7.5, 1418-8.5





## Stud Extractors with Alloy Steel

**1418**

| M5-M8   | 1 | 1418-4   |
|---------|---|----------|
| M8-M10  | 1 | 1418-5   |
| D11-M12 | 1 | 1418-6   |
| M12-M14 | 1 | 1418-7.5 |
| M14-M16 | 1 | 1418-8.5 |

**PRY BARS**

## Combination Pinch Bars with Hexagon Shank

**2632**

| 170 mm | 1 | 2632 |
|--------|---|------|

## Flat Head Pinch Bars with Hexagon Shank

**3684**

| 406 mm | 1 | 3684-16 |
|--------|---|---------|
| 457 mm | 1 | 3684-18 |
| 609 mm | 1 | 3684-24 |
| 760 mm | 1 | 3684-30 |

## Flat Head Pinch Bars with Flat Shank

**3680**

| 400 mm | 1 | 3680 |
|--------|---|------|

## Flat Head Pry Bars with PP Handle

**2484-20/2484-60**

| 205 mm | 1 | 2484-20 |
|--------|---|---------|
| 305 mm | 1 | 2484-30 |
| 465 mm | 1 | 2484-45 |
| 615 mm | 1 | 2484-60 |

## Flat Head Pry Bar Set with PP Handle

**2484/S4**

| 42 x 145 x 693 mm | 10 | 2484/S4 |
|-------------------|----|---------|

2484-20, 2484-30, 2484-45, 2484-60

## Flat Head Pry Bar with Through Blade for Hammering

**2484T-20/2484T-60**

| 210 mm | 1 | 2484T-20 |
|--------|---|----------|
| 312 mm | 1 | 2484T-30 |
| 450 mm | 1 | 2484T-45 |
| 600 mm | 1 | 2484T-60 |

## 4 pcs Flat Head Pry Bars with Through Blade for Hammering

**2484T/S4**

| 42 x 145 x 693 mm | 1950 g | 1 2484T/S4 |
|-------------------|--------|------------|

2484T-20, 2484T-30, 2484T-45, 2484T-60

## Rolling Head Pry Bar

**3683**

| 400 mm | 1 | 3683 |
|--------|---|------|


## Rolling Head Pry Bars with Phosphated Body

**3681**

| 304 mm | 1 | 3681-11 |
|--------|---|---------|
| 406 mm | 1 | 3681-16 |
| 503 mm | 1 | 3681-20 |

**PICKING TOOLS**

## ERGO™ Neodymium Magnetic Pick-Up Tool 4 mm x 290 mm

**2535F0**

| 5.5 mm | 515 mm | 1 2535F0 |
|--------|--------|----------|

## BahcoFit Flexible Magnetic Pullers with Rubber Grip 10-18 mm

**B147**

| 13 mm | 400 mm | 1 B147.001.400 |
|-------|--------|----------------|
| 19 mm | 400 mm | 1 B147.003.400 |

## Magnetic pick-up ERGO™

**2535F**

| 10 mm | 400 mm | 1 2535F1 |
|-------|--------|----------|
| 10 mm | 400 mm | 1 2535F2 |
| 17 mm | 400 mm | 1 2535F3 |

## Magnetic pick-up tool with light

**2535L**

| 20 mm | 40-670 mm | 12 2535L |
|-------|-----------|----------|

## Flexible Pick-Up Tools with Steel Core

**2509**

| 555 mm | 50 | 2509 |
|--------|----|------|

## Claw Pick-Up Tools with Steel Core

**2530**

| 605 mm | 1 | 2530 |
|--------|---|------|

**THREAD TOOLS**

## Thread Cutting Toolset - 37 Pcs

**1460M/1**

| 53 x 407 x 220 mm | M5-M12 | 1 1460M/1 |
|-------------------|--------|-----------|

## Thread Cutting Toolset - 55 Pcs

**1460M/2**

| 53 x 407 x 220 mm | M5-M20 | 1 1460M/2 |
|-------------------|--------|-----------|

## Thread Cutting Toolset - 54 Pcs

**1460Z/2**

| 53 x 407 x 220 mm | 1/4-3/4 | 1 1460Z/2 |
|-------------------|---------|-----------|



Tap Wrenches with Chrome Finish



|            |                                                                                  |                                                                                   |                                                                                   |
|------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>600</b> |  |  |  |
| 3-10 mm    | 1                                                                                | 600.003.010                                                                       |                                                                                   |
| 5-12 mm    | 1                                                                                | 600.005.012                                                                       |                                                                                   |

Metric Double Thread Restorers



|                  |                                                                                    |                                                                                     |                                                                                     |
|------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>1450D-ISO</b> |  |  |  |
| 230 mm           | 1                                                                                  | 1450D-ISO                                                                           |                                                                                     |

Imperial Double Thread Restorers



|                 |                                                                                   |                                                                                   |                                                                                   |
|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>1450D-WW</b> |  |  |  |
| 230 mm          | 1                                                                                 | 1450D-WW                                                                          |                                                                                   |

Double Thread Restorers Set in Wooden Box



|                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>1450D/2</b>          |  |  |  |  |
| 40 x 70 x 270 mm M5-M27 | 1                                                                                   | 1450D/2                                                                             |                                                                                     |                                                                                     |

|           |                                                                                      |
|-----------|--------------------------------------------------------------------------------------|
| 1450D-ISO |  |
| 1450D-WW  |  |



**info@aiebv.com**

**T +31 (0)165 224140**

**www.aiebv.com**

**AKKERMANS INDUSTRIAL ENGINEERING B.V.**

Vijfhuizenberg 103A • 4708AJ Roosendaal (Noord-Brabant) Nederland • T (+31) 0165 224140 • info@aiebv.com • www.aiebv.com  
KvK 20040320 • BTW nr. 005358012B01 • IBAN NL33 RABO 0141 2525 10 • BIC RABONL2U