

SNA-17

catalogi:online




Gereedschap
voor op hoogte
(457-478)

BAHCO



AKKERMANS
INDUSTRIAL ENGINEERING





Tools @ Height



TOOL STORAGE & LANYARDS

High Visibility Orange Strap Lanyards with Swivel Carabiner 1 kg



3875-LY60



		
135 g	1	3875-LY600

Strap Lanyards with Fixed Carabiner and Interchangeable Loop 1 kg



3875-LY3

		
125 g	8	3875-LY3

Wrist Lanyards with Exchangeable Loop and Barrel Lock 1 kg



3875-WL1

		
40 g	8	3875-WL1

Connecting Loops for Lanyard



3875-QL1

		
40 g	8	3875-QL1

Retractable Lanyards with Fixed Carabiner 0.9 kg



3875-RL1

		
200 g	1	3875-RL1

Connecting Loops for Retractable Lanyard



3875-QRL1

		
40 g	1	3875-QRL1

Retractable Lanyards with Fixed Carabiner 1 kg



3875-RL2

		
212 g	1	3875-RL2

High Visibility Orange Strap Lanyards with Fixed Carabiner 3 kg



3875-LY70



		
172 g	1	3875-LY70

Strap Lanyards with Fixed Carabiner and Fixed Loop 3 kg



3875-LY2

		
120 g	8	3875-LY2

High Visibility Orange Strap Lanyards with Fixed Carabiner 6 kg



3875-LY8



		
330 g	1	3875-LY8*

High Visibility Orange Strap Lanyards with Fixed Carabiner 12 kg

**3875-LY10**

270 g



1 3875-LY10*

Steel String Lanyards

**3875-SL1**

10 g



1 3875-SL1

Bags for Working at Height

**3875-HB10**

260 x 130 x 130 mm



1 3875-HB10*

Coiled Lanyards with 1 mm Wire Loop String

**439000000**

100 g



1 439000000

Coiled Lanyards with Swivel Carabiner 3 kg

**439000003**

160 g



1 439000003*

Lifting Bags with Single Reinforced Lifting Straps

**3875-HB30/3875-HB60**270 x 270 x 330 mm
340 x 340 x 620 mm1 3875-HB30
6 3875-HB60

Coiled Lanyards with 1.5 mm Wire Loop String

**439000001**

130 g



1 439000001

High Visibility Orange Strap Lanyards with Plastic Clip

**439000004**

13 g



1 439000004*

Lifting Bags with Double Reinforced Lifting Straps

**3875-HB100**

390 x 390 x 890 mm



1 3875-HB100



Rigid Case Lifting Bags with Double Reinforced Lifting Straps

**3875-SB70**

790 x 300 x 750 mm



1 3875-SB70



Three Pouch Set Belts with 4 Safety Rings for Lanyard Attachment

**3PB-2**

80 x 270 x 1350 mm



1 4750-3PB-2

Hammer Holster Belt Pouches with 1 Safety Ring for Lanyard Attachment

**4750-HHO-2**

110 x 65 x 165 mm



1 4750-HHO-2

Backpacks with Durable Polyester Large Size

**3875-BP2**

240 x 340 x 440 mm



10 3875-BP2



Measuring Tape Pouches with 1 Safety Ring for Lanyard Attachment

**4750-MTHO-TAH**

80 x 110 x 165 mm



1 4750-MTHO-TAH

Heavy Duty Belts with 6 Safety Rings for Lanyard Attachment

**4750-HDLB-TAH**

50 x 120 x 1410 mm



1 4750-HDLB-TAH

Pouches with 2 Large Pockets and 6 Safety Rings for Lanyard Attachment

**3875-MHP6**

100 x 185 x 370 mm



1 3875-MHP6

Multipurpose Pouches with 2 Large Pockets and 4 Safety Rings for Lanyard Attachment

**4750-UP-2**

270 x 145 x 270 mm



1 4750-UP-2

WRENCHES

ERGO™ 90 Series Adjustable Wrenches with Quick Link

**TAH90**

158mm/6"



20 mm



1 TAH9070

250mm/10"

31 mm

1 TAH9072



80 Series Adjustable Wrenches with Quick Link



TAH80



110mm/4"	13 mm	1	TAH8069
155mm/6"	20 mm	1	TAH8070
205mm/8"	27 mm	1	TAH8071
255mm/10"	31 mm	1	TAH8072
305mm/12"	34 mm	1	TAH8073
380mm/15"	44 mm	1	TAH8074
460mm/18"	53 mm	1	TAH8075
110mm/4"	13 mm	1	TAH8069C*
155mm/6"	20 mm	1	TAH8070C*
205mm/8"	27 mm	1	TAH8071C*
255mm/10"	31 mm	1	TAH8072C*
305mm/12"	34 mm	1	TAH8073C*
380mm/15"	44 mm	1	TAH8074C*
460mm/18"	53 mm	1	TAH8075C*

Podger Wrenches with Safety D-Shackle



TAH84



405mm/16"	41 mm	1	TAH84-PODGER

Metric Combination Wrenches with Safety Spring



TAH111M



6 mm	112 mm	1	TAH111M-6
7 mm	120 mm	1	TAH111M-7
8 mm	130 mm	1	TAH111M-8
9 mm	136 mm	1	TAH111M-9
10 mm	144 mm	1	TAH111M-10
11 mm	153 mm	1	TAH111M-11
12 mm	160 mm	1	TAH111M-12
13 mm	165 mm	1	TAH111M-13

14 mm	177 mm	1	TAH111M-14
15 mm	185 mm	1	TAH111M-15
16 mm	195 mm	1	TAH111M-16
17 mm	200 mm	1	TAH111M-17
18 mm	208 mm	1	TAH111M-18
19 mm	215 mm	1	TAH111M-19
20 mm	240 mm	1	TAH111M-20
21 mm	250 mm	1	TAH111M-21
22 mm	250 mm	1	TAH111M-22
23 mm	270 mm	1	TAH111M-23
24 mm	270 mm	1	TAH111M-24
25 mm	290 mm	1	TAH111M-25
27 mm	310 mm	1	TAH111M-27
30 mm	330 mm	1	TAH111M-30
32 mm	345 mm	1	TAH111M-32
34 mm	347 mm	1	TAH111M-34
36 mm	400 mm	1	TAH111M-36
41 mm	438 mm	1	TAH111M-41
46 mm	500 mm	1	TAH111M-46
50 mm	540 mm	1	TAH111M-50
55 mm	560 mm	1	TAH111M-55

Imperial Combination Wrenches with Safety Spring



TAH111Z

5/16 in	130 mm	1	TAH111Z-5/16*
3/8 in	140 mm	1	TAH111Z-3/8*
1/2 in	169 mm	1	TAH111Z-1/2*
9/16 in	177 mm	1	TAH111Z-9/16*
5/8 in	195 mm	1	TAH111Z-5/8*
11/16 in	200 mm	1	TAH111Z-11/16*
13/16 in	250 mm	1	TAH111Z-13/16*
7/8 in	250 mm	1	TAH111Z-7/8*
15/16 in	270 mm	1	TAH111Z-15/16*
1 in	290 mm	1	TAH111Z-1*
1-1/16 in	310 mm	1	TAH111Z-1.1/16*
1-1/8 in	310 mm	1	TAH111Z-1.1/8*
1-1/4 in	350 mm	1	TAH111Z-1.1/4*
1-5/16 in	350 mm	1	TAH111Z-1.5/16*
1 3/8 in	410 mm	1	TAH111Z-1.3/8*
1 7/16 in	410 mm	1	TAH111Z-1.7/16*
1 1/2 in	410 mm	1	TAH111Z-1.1/2*
1 5/8 in	460 mm	1	TAH111Z-1.5/8*
1 11/16 in	460 mm	1	TAH111Z-1.11/16*
1 3/4 in	500 mm	1	TAH111Z-1.3/4*
1 13/16 in	500 mm	1	TAH111Z-1.13/16*
1 7/8 in	540 mm	1	TAH111Z-1.7/8*
2 in	540 mm	1	TAH111Z-2*
2 1/4 in	600 mm	1	TAH111Z-2.1/4*
2 3/8 in	600 mm	1	TAH111Z-2.3/8*
2 5/8 in	680 mm	1	TAH111Z-2.5/8*
2 3/4 in	680 mm	1	TAH111Z-2.3/4*
2 7/8 in	730 mm	1	TAH111Z-2.7/8*
3 in	730 mm	1	TAH111Z-3*

Ratcheting Combination Wrenches with Safety Spring



TAH1RM



6 mm	128 mm	1	TAH1RM-6
7 mm	140 mm	1	TAH1RM-7
8 mm	140 mm	1	TAH1RM-8
9 mm	150 mm	1	TAH1RM-9
10 mm	159 mm	1	TAH1RM-10
11 mm	165 mm	1	TAH1RM-11
12 mm	172 mm	1	TAH1RM-12
13 mm	178 mm	1	TAH1RM-13
14 mm	191 mm	1	TAH1RM-14
15 mm	200 mm	1	TAH1RM-15
16 mm	208 mm	1	TAH1RM-16
17 mm	226 mm	1	TAH1RM-17
18 mm	237 mm	1	TAH1RM-18
19 mm	248 mm	1	TAH1RM-19
21 mm	290 mm	1	TAH1RM-21
22 mm	361 mm	1	TAH1RM-22
24 mm	323 mm	1	TAH1RM-24
27 mm	359 mm	1	TAH1RM-27
30 mm	400 mm	1	TAH1RM-30
32 mm	425 mm	1	TAH1RM-32

Metric Deep Offset Double Ring End Spanners with Chrome Finish with Stainless Steel Sliding Spring



TAH2M



6x7 mm	165 mm	1	TAH2M-6-7*
8x9 mm	180 mm	1	TAH2M-8-9*
10x11 mm	190 mm	1	TAH2M-10-11*
12x13 mm	210 mm	1	TAH2M-12-13*
14x15 mm	226 mm	1	TAH2M-14-15*
16x17 mm	246 mm	1	TAH2M-16-17*
18x19 mm	266 mm	1	TAH2M-18-19*

* Until stocks last





Metric Double Open End Wrenches with Safety Spring



TAH6M



6x7 mm	122 mm	1	TAH6M-6-7
8x9 mm	135 mm	1	TAH6M-8-9
10x11 mm	153 mm	1	TAH6M-10-11
12x13 mm	164 mm	1	TAH6M-12-13
14x15 mm	183 mm	1	TAH6M-14-15
16x17 mm	201 mm	1	TAH6M-16-17
17x19 mm	222 mm	1	TAH6M-17-19
18x19 mm	222 mm	1	TAH6M-18-19
20x22 mm	225 mm	1	TAH6M-20-22
24x27 mm	260 mm	1	TAH6M-24-27
30x32 mm	300 mm	1	TAH6M-30-32

Flare Nut Wrenches with Safety Spring



TAH1949M



8x9 mm	140 mm	1	TAH1949M-8-9*
10x11 mm	150 mm	1	TAH1949M-10-11*
12x14 mm	170 mm	1	TAH1949M-12-14*
14x17 mm	200 mm	1	TAH1949M-14-17*
19x22 mm	220 mm	1	TAH1949M-19-22*
24x27 mm	255 mm	1	TAH1949M-24-27*

Ring End Slogging Wrenches with D-Shackle



TAH7444SG



36 mm	205 mm	1	TAH7444SG-M-36
41 mm	230 mm	1	TAH7444SG-M-41
46 mm	240 mm	1	TAH7444SG-M-46
50 mm	255 mm	1	TAH7444SG-M-50
55 mm	270 mm	1	TAH7444SG-M-55

Metric Double Head Offset Socket Spanners with 6 x 6-Point Dynamic Drive™ with Stainless Steel Ring



TAH29



6 mm	1	TAH29M-6*
7 mm	1	TAH29M-7
8 mm	1	TAH29M-8
9 mm	1	TAH29M-9*
10 mm	1	TAH29M-10
11 mm	1	TAH29M-11*
12 mm	1	TAH29M-12*
13 mm	1	TAH29M-13
14 mm	1	TAH29M-14*
15 mm	1	TAH29M-15*
16 mm	1	TAH29M-16*
17 mm	1	TAH29M-17*
18 mm	1	TAH29M-18*
19 mm	1	TAH29M-19*
20 mm	1	TAH29M-20*
21 mm	1	TAH29M-21*
22 mm	1	TAH29M-22*
23 mm	1	TAH29M-23*
24 mm	1	TAH29M-24*
25 mm	1	TAH29M-25*
26 mm	1	TAH29M-26*
27 mm	1	TAH29M-27*
28 mm	1	TAH29M-28*
29 mm	1	TAH29M-29*
30 mm	1	TAH29M-30*
32 mm	1	TAH29M-32*

Switch Cabinet Wrenches with Dyneema Ready to Work at Height



TAHMK5



97x25 mm		1	TAHMK5

Ratchet Wrenches with Safety Ring and Dee Shackle



TAHSC2RM



13-17 mm	280 mm	1	TAHSC2RM-13-17
15-17 mm	280 mm	1	TAHSC2RM-15-17
19-22 mm	310 mm	1	TAHSC2RM-19-22
27-30 mm	450 mm	1	TAHSC2RM-27-30

PIPE WRENCHES

ERGO™ Swedish Model Pipe Wrenches with Wire Loop



TAH1410-TAH1420



320 mm	1 in	1	TAH1410
430 mm	1 1/2 in	1	TAH1420

Swedish Model 90° Pipe Wrenches with Bow Shackle

**TAH14**

L	max		
210 mm	3/4 in	1	TAH140
320 mm	1 in	1	TAH141
426 mm	1 1/2 in	1	TAH142
557 mm	2-1/2 in	1	TAH143

Aluminium Pipe Wrenches with Quick Link

**TAH380**

L	max		
253 mm	1.1/2 in	1	TAH380-10
354 mm	2 in	1	TAH380-14
455 mm	2.1/2 in	1	TAH380-18
607 mm	3 in	1	TAH380-24

Pipe Cutters 3mm-16mm with Stainless Steel Ring

**TAH401-16**

Ø			
3-16 mm	1	TAH401-16*	

Pipe Cutters 3mm-28mm with Stainless Steel Ring

**TAH401-28**

Ø			
3-28 mm	1	TAH401-28*	

Pipe Cutters 3mm-35mm with Stainless Steel Ring

**TAH402-35**

Ø			
3-35 mm	1	TAH402-35*	

Tube Cutter with Stainless Steel Ring

**TAH302-35**

Ø			
3-35 mm	1	TAH302-35*	

Plastic Wheel Reamer with Kevlar String

**TAH317-40**

Ø			
3-40	1	TAH317-40*	

SOCKETS & RATCHETS

1/4" Square Drive Sockets with Metric Hex Profile and 4 point solution

**TAH08**

Ø			
5.5 mm	1	TAH08-5.5	
6 mm	1	TAH08-6	
7 mm	1	TAH08-7	
8 mm	1	TAH08-8	
9 mm	1	TAH08-9	
10 mm	1	TAH08-10	
11 mm	1	TAH08-11	
12 mm	1	TAH08-12	
13 mm	1	TAH08-13	

1/4" Square Drive Breaker Bars with Safety Spring

**TAH6958B-1**

L			
150 mm	1	TAH6958B-1	



1/4" Square Drive Extension Bars with 4 Holes

**TAH6960-TAH6962L**

L	
50 mm	1 TAH6960
101 mm	1 TAH6961
152 mm	1 TAH6962
355 mm	1 TAH6962L

1/4" Square Drive Universal Joints with 4 Holes

**TAH6966**

L	
36 mm	1 TAH6966

1/4" Square Drive Socket Drivers for Metric Hex Head Screws with 4 Points Solution

**TAH08-H**

3 mm	1 TAH08-H3
4 mm	1 TAH08-H4
5 mm	1 TAH08-H5
6 mm	1 TAH08-H6
8 mm	1 TAH08-H8

1/4" Square Drive Socket Drivers for Phillips Head Screws with 4 Points Solution

**TAH08-PH**

1	1 TAH08-PH1
2	1 TAH08-PH2
3	1 TAH08-PH3

1/4" Square Drive Socket Drivers for TORX® Head Screws with 4 Points Solution

**TAH08TTAH**

T-8	1 TAH08-T8
T-9	1 TAH08-T9
T-10	1 TAH08-T10
T-15	1 TAH08-T15
T-20	1 TAH08-T20
T-25	1 TAH08-T25
T-27	1 TAH08-T27
T-30	1 TAH08-T30
T-40	1 TAH08-T40

1/4" Square Drive Reversible Ratchets with Sealed Dyneema String

**TAH6950**

L	
120 mm	1 TAH6950

1/4" Square Drive Spinner Handles with Safety Chuck

**TAH6956-1**

L	
150 mm	1 TAH6956-1

1/2" Square Drive Sockets with Metric Bi-Hex Profile and 4 Point Solution

**TAH16B**

8 mm	1 TAH16B-8*
10 mm	1 TAH16B-10
11 mm	1 TAH16B-11
12 mm	1 TAH16B-12
13 mm	1 TAH16B-13
14 mm	1 TAH16B-14
15 mm	1 TAH16B-15
16 mm	1 TAH16B-16
17 mm	1 TAH16B-17
18 mm	1 TAH16B-18
19 mm	1 TAH16B-19
21 mm	1 TAH16B-21
22 mm	1 TAH16B-22
24 mm	1 TAH16B-24
25 mm	1 TAH16B-25
27 mm	1 TAH16B-27
30 mm	1 TAH16B-30
32 mm	1 TAH16B-32

1/2" Square Drive Sockets with Imperial Bi-Hex Profile and 4 Point Solution



TAH16B"

1/2 in	1 TAH16B-1/2
9/16 in	1 TAH16B-9/16
5/8 in	1 TAH16B-5/8
11/16 in	1 TAH16B-11/16
3/4 in	1 TAH16B-3/4
13/16 in	1 TAH16B-13/16
7/8 in	1 TAH16B-7/8*
15/16 in	1 TAH16B-15/16*
1 in	1 TAH16B-1
1 1/16 in	1 TAH16B-1.1/16
1 1/8 in	1 TAH16B-1.1/8
1 1/4 in	1 TAH16B-1.1/4

1/2" Breaker Bars with Safety Spring



TAH8158B-1

256 mm	1 TAH8158B-1

1/2" Extension Bars with 4 Holes



TAH8160-8162

125 mm	1 TAH8160
250 mm	1 TAH8162

1/2" Universal Joints with 4 Point Solution



TAH8166

67 mm	1 TAH8166

1/2" Square Drive Socket Drivers for Metric Hex Head Screws with 4 point solution



TAH16H

4 mm	1 TAH16-H4
5 mm	1 TAH16-H5
6 mm	1 TAH16-H6
7 mm	1 TAH16-H7
8 mm	1 TAH16-H8
10 mm	1 TAH16-H10
12 mm	1 TAH16-H12
14 mm	1 TAH16-H14
17 mm	1 TAH16-H17
19 mm	1 TAH16-H19

1/2" Square Drive Socket Drivers for Imperial Hex Head Screws with 4 point solution



TAH16H"

1/4 in	1 TAH16H-1/4
5/16 in	1 TAH16H-5/16
3/8 in	1 TAH16H-3/8

7/16 in	1 TAH16H-7/16
1/2 in	1 TAH16H-1/2
9/16 in	1 TAH16H-9/16
5/8 in	1 TAH16H-5/8

1/2" Square Drive Socket Drivers for TORX® Head Screws with 4 Points Solution



TAH16-T

T30	1 TAH16-T30
T40	1 TAH16-T40
T45	1 TAH16-T45*
T50	1 TAH16-T50
T55	1 TAH16-T55
T60	1 TAH16-T60

1/2" Square Drive Socket Drivers for Metric Hex Head Screw with 4 Points Solution



TAH7809M

			
10 mm	23 mm	1	TAH7809M-10-140*
8 mm	23 mm	1	TAH7809M-8-120*

* Until stocks last





1/2" Square Drive Socket Drivers for
Multipoint Head Screw with 4 Point
Solution

**TAH7809XZN**

10	1	TAH7809XZN-10
12	1	TAH7809XZN-12
14	1	TAH7809XZN-14
16	1	TAH7809XZN-16
18	1	TAH7809XZN-18
6	1	TAH7809XZN-6
8	1	TAH7809XZN-8

1/2" Square Drive Socket Set with Imperial
Hex Profile and Pear Head Ratchet - 17
pcs for Working at Height

**TAH16BZ/17**

80 x 300 x 380 mm

1 TAH16BZ/17*

1/2" Reversible Ratchets with Sealed
Dyneema String

**TAH8150-1/2**

270 mm

1 TAH8150-1/2

1/2" Square Drive Socket Set with Metric
Hex Profile and Pear Head Ratchet - 22
pcs for Working at Height

**TAH16BM/22**

85 x 350 x 445 mm

1 TAH16BM/22

3/4" Square Drive Extension Bars with 4
Point Solution

**TAH8961**

200 mm

1 TAH8961

3/4" Square Drive Universal Handles with
Loop Wire

**TAH8953**

500 mm

1 TAH8953*

3/4" Square Drive Reversible Ratchet
Heads with Loop Wire

**TAH8950N/A**

170 mm

1 TAH8950N/A*

Stubby Pin Releasers for TAH Sockets

**ergo****TAHPINRELEASER**

4 mm

45 mm

1 TAHPINRELEASER

SCREWDRIVERS

ERGO™ Slotted Screwdrivers with Safety Chuck



ergo



TAHBE8020L-TAHBE8252



3.2 mm	75 mm	1	TAHBE-8020L
3.5 mm	75 mm	1	TAHBE-8030
4 mm	100 mm	1	TAHBE-8040
5.5 mm	150 mm	1	TAHBE-8241
6.5 mm	150 mm	1	TAHBE-8252

ERGO™ Slotted Screwdrivers with Dyneema String



ergo



TAHBE8155



6 mm	125 mm	1	TAHBE-8155
8 mm	175 mm	1	TAHBE-8257
10 mm	210 mm	1	TAHBE-8258

ERGO™ Bolster Screwdrivers for Slotted Head Screws with Dyneema String



ergo



TAHBE-8260



9 mm	175 mm	1	TAHBE-8260
12 mm	200 mm	1	TAHBE-8880

ERGO™ Stubby Screwdrivers for Slotted Head Screws with Safety Chuck



ergo



TAHBE-8350



5.5 mm	28 mm	1	TAHBE-8350
--------	-------	---	------------

ERGO™ Screwdrivers for Phillips Head Screws with Safety Chuck



ergo



TAHBE8610-TAHBE8624



PH 1	75 mm	1	TAHBE-8611
PH 1	75 mm	1	TAHBE-8610
PH 2	100 mm	1	TAHBE-8620
PH 2	200 mm	1	TAHBE-8620L
PH 3	150 mm	1	TAHBE-8623
PH 4	190 mm	1	TAHBE-8624

ERGO™ Bolster Screwdrivers for Phillips Head Screws with Dyneema String



ergo



TAHBE-8630



PH 3	155 mm	1	TAHBE-8630
------	--------	---	------------

ERGO™ Stubby Screwdrivers for Phillips Head Screws with Safety Chuck



ergo



TAHBE-8602



PH2	30 mm	1	TAHBE-8602
-----	-------	---	------------

ERGO™ Screwdrivers for Pozidriv Head Screws with Safety Chuck



ergo



TAHBE8810-TAHBE8820



PZ 1	73 mm	1	TAHBE-8810
PZ 2	100 mm	1	TAHBE-8820

ERGO™ Bolster Screwdrivers for Pozidriv Head Screws with Dyneema String



ergo



TAHBE-8830



PZ 3	150 mm	1	TAHBE-8830
------	--------	---	------------



**ERGO™ Screwdrivers for TORX® Head
Screws with Safety Chuck**


TAHBE8910-TAHBE8930

T10	2.72 mm	1	TAHBE-8910
T15	3.26 mm	1	TAHBE-8915
T20	3.84 mm	1	TAHBE-8920
T25	4 mm	1	TAHBE-8925
T30	6 mm	1	TAHBE-8930

**ERGO™ Insulated TORX® Head
Screwdrivers with Kevlar String**


TAHBE8910S-TAHBE8930S

T10	2.5 mm	1	TAHBE-8910S
T15	3.26 mm	1	TAHBE-8915S
T20	3.84 mm	1	TAHBE-8920S
T25	4.4 mm	1	TAHBE-8925S
T30	5.49 mm	1	TAHBE-8930S

**Phillips Screwdrivers with Precision Grip
PH00-PH1 with Stainless Steel Ring**

TAH701

PH00	137 mm	1	TAH701-00-50
PH 0	137 mm	1	TAH701-0-50

**ERGO™ Insulated Slotted Screwdrivers
with Kevlar String**


TAHBE8040S-TAHBE8050S

3.0 mm	100 mm	1	TAHBE-8220S
4.0 mm	100 mm	1	TAHBE-8040S
5.5 mm	125 mm	1	TAHBE-8050S
6.5 mm	155 mm	1	TAHBE-8255S

**ERGO™ Slim VDE Insulated Pozidriv
Screwdrivers with 3-Component Handle
with Kevlar Cord**


TAHBE-8820SL

PZ 2	PZ 2	1	TAHBE-8820SL

**Torx® Screwdrivers with Precision Grip
T4-T20 with Stainless Steel Ring**

TAH703

T 6	137 mm	1	TAH703-6-50
T 7	137 mm	1	TAH703-7-50
T 8	137 mm	1	TAH703-8-50
T 9	137 mm	1	TAH703-9-50
T 10	137 mm	1	TAH703-10-50
T 15	162 mm	1	TAH703-15-75

**ERGO™ Insulated Phillips Screwdrivers
with Kevlar String**


TAHBE8610S-TAHBE8620S

PH1	80 mm	1	TAHBE-8610S
PH2	100 mm	1	TAHBE-8620S
PH3	150 mm	1	TAHBE-8630S
PH4	190 mm	1	TAHBE-8640S

**Slotted Screwdrivers with Precision Grip
0.18-0.8 mm with Stainless Steel Ring**

TAH700

1.5 mm	137 mm	1	TAH700-1.5-50
1.8 mm	137 mm	1	TAH700-1.8-50
2.5 mm	137 mm	1	TAH700-2.5-50
3 mm	187 mm	1	TAH700-3-100

**Hex Screwdrivers with T-Handle Grip with
Dyneema String**

TAH900T

2	100 mm	1	TAH900T-020-100
2.5	100 mm	1	TAH900T-025-100
3 mm	100 mm	1	TAH900T-030-100
4	138 mm	1	TAH900T-040-150
5 mm	138 mm	1	TAH900T-050-150
6 mm	185 mm	1	TAH900T-060-200
8 mm	185 mm	1	TAH900T-080-200
10 mm	185 mm	1	TAH900T-100-200

TORX® Screwdriver with T-Handle Grip with Dyneema String



TAH901T

T 6	100 mm	1	TAH901T-006-100
T 7	100 mm	1	TAH901T-007-100
T 8	100 mm	1	TAH901T-008-100
T 9	100 mm	1	TAH901T-009-100
T 10	100 mm	1	TAH901T-010-100
T 15	138 mm	1	TAH901T-015-150
T 20	138 mm	1	TAH901T-020-150
T 25	138 mm	1	TAH901T-025-150
T 27	138 mm	1	TAH901T-027-150
T 30	185 mm	1	TAH901T-030-200
T 40	185 mm	1	TAH901T-040-200
T 45	185 mm	1	TAH901T-045-200
T 50	185 mm	1	TAH901T-050-200

Metric Hex L-Keys with Phosphate Finish with Stainless Steel Ring



TAH1995M

8 mm	108 mm	1	TAH1995M-8*
10 mm	122 mm	1	TAH1995M-10*
12 mm	137 mm	1	TAH1995M-12*

Imperial Hex L-Keys with Phosphate Finish with Stainless Steel Ring



TAH1995Z

1/2 in	145 mm	1	TAH1995Z-1/2*

Metric Hex Folding L-Key Set with Phosphate Finish 1.5-6 mm - 7 pcs with Kevlar Textile Wire Loop



TAHBE-9776

7	1.5 2 2.5 3 4 5 6 mm	1	TAHBE-9776

Metric Offset Screwdriver Hex Key Folders with Kevlar String - 7 Pcs



TAHBE-9777B

	 
2.5 3 4 5 6 8 10 mm	1 TAHBE-9777B

Imperial Offset Screwdriver Hex Key Folders with Insert Plate - 7 Pcs



TAHBE-9787

	
3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in	1 TAHBE-9787

Double Offset Keys for Slotted Screws with Steel Wire



TAH2047

4.0 mm	100 mm	1	TAH2047-0.8-4

Double Offset Keys for Phillips Screws with Steel Wire



TAH2047PR

PH 1 & 2	100 mm	1	TAH2047PR-1-2

PLIERS

ERGO™ Side Cutting Pliers with Safety Ring



ergo™



TAH2101G

	 	
130 mm	1	TAH2101G-125
145 mm	1	TAH2101G-140
165 mm	1	TAH2101G-160
185 mm	1	TAH2101G-180
125 mm	1	TAH2101G-125C*
145 mm	1	TAH2101G-140C*
165 mm	1	TAH2101G-160C*
180 mm	1	TAH2101G-180C*



ERGO™ Heavy Duty Side Cutting Pliers with Safety Ring



ergo®



TAH21HDG

210 mm
200 mm1 TAH21HDG-200
1 TAH21HDG-200C

ERGO™ Snipe Nose Pliers with Safety Ring



ergo®



TAH2430G

160 mm
200 mm1 TAH2430G-160
1 TAH2430G-200

Ratcheting Crimping Pliers for Insulated Connectors with Fixed Metallic Wire Loop



TAHCRW01

225 mm 0.5-6.0 mm²

1 TAHCRW01

ERGO™ Combination Pliers with Safety Ring



ergo®



TAH2628G

170 mm
190 mm
200 mm1 TAH2628G-160
1 TAH2628G-180
1 TAH2628G-200*

ERGO™ Snipe Nose Pliers with 45° Bent Tips and Safety Ring



ergo®



TAH2427G



200 mm

1 TAH2427G-200

Internal Circlip Pliers with Straight Jaws and Phosphate Finish with Stainless Steel Ring



TAH2800

150 mm
180 mm1 TAH2800-150
1 TAH2800-180

2 Position Combination Pliers with Safety Ring



TAH2970G



200 mm

1 TAH2970G-200*

ERGO™ Wire Stripping Pliers with Safety Ring



ergo®



TAH2223G-150



167 mm

1 TAH2223G-150

External Circlip Pliers with Straight Jaws and Phosphate Finish with Stainless Steel Ring



TAH2900



180 mm

1 TAH2900-180

Grip Locking Pliers with Curved Jaws with Fixed Metallic Plate

**TAH2951**

235 mm



1 TAH2951-250

Self Grip Locking Pliers with Curved Jaws with Fixed Metallic Plate

**TAH2953**

140 mm

300 mm



1 TAH2953-140

1 TAH2953-300

Grips with Straight Jaws and Insert Plate

**TAH2958**

200 mm

245 mm



1 TAH2958-200

1 TAH2958-250

ERGO™ Water Pump Pliers with Safety Ring



ergo

**TAH8224**

250 mm



1 TAH8224

High Leverage Fencing Pliers with Black Epoxy Finish and Safety Ring

**TAH2339**

2.5 mm



250 mm



1 TAH2339-250

Wire Twisting Pliers with Safety Ring

**TAH2855**

232 mm



1 TAH2855

CUTTING TOOLS

Folding Pruning Saws with Dual-Component Handle with Sealed Dyneema Cord

**TAH396**

190 mm



7 1/2 in



1 TAH396-JT

ERGO™ Professional Hand Hacksaw Frames with Loop Wire



ergo

**TAH325**

300 mm



1 TAH325

Traditional Hand Hacksaw Frames with Loop Wire

**TAH320**

500 mm



1 TAH320



Hacksaw Frames with Loop Wire for All Round Use



TAH317



432 mm

1 TAH317



Aluminium Hand Hacksaw Frames with Loop Wire



TAH225



310 mm

1 TAH225-PLUS



Mini Hacksaws with Sandflex® Bi-Metal Blade with Kevlar String



TAH208



330 mm

1 TAH208*



ERGO™ Flat Files with Safety Ring



ergo



TAH1-100



265 mm

2

1

TAH1-100-06-2-4



ERGO™ Engineering 3 Square Files Bastard/Second/Smooth Cut with Permanent Stainless Steel Ring



ergo



TAH1-170



200 mm

1

1

TAH1-170-08-1-2*



ERGO™ Engineering Tapered Edge Flat Files Bastard/Second/Smooth Cut with Permanent Stainless Steel Ring



ergo



TAH1-110



200 mm

1

1

TAH1-110-08-1-2*



ERGO™ Half-Round Files with Safety Ring



ergo



TAH1-210



270 mm

2

1

TAH1-210-06-2-2

325 mm

1

1

TAH1-210-08-1-2*



ERGO™ Mill Files with 2 Flat Edges and Safety Ring



ergo



TAH1-143



415 mm

1

1

TAH1-143-12-1-2



ERGO™ Round Files with Safety Chuck



ergo



TAH1-230



260 mm

2

1

TAH1-230-06-2-2

310 mm

1

1

TAH1-230-08-1-2*



ERGO™ Engineering Square Files Bastard/Second/Smooth Cut with Permanent Stainless Steel Ring



ergo



TAH1-160



200 mm

1

1

TAH1-160-08-1-2*



Straight Cut Aviation Shears with Increased Power by Lever Action and Yellow Colour Coded Handle up to 1.5 mm with Safety Ring



TAHMA421



250 mm

1

TAHMA421*



Heavy Duty Electrician Scissors with Wire Loop

**TAHSB140G**

145 mm	43 mm	1 TAHSB140G

Utility Wire Brushes With Wooden Handle

**TAH52-TAH782-U**

150 mm 290 mm	1 TAH52 1 TAH782-U	

Nylon Tip Mallets with Wire Loop

**TAH3625PW**

300 mm	1 TAH3625W-35	

Electrician Knives with Dyneema String

**TAH2820EF**

195 mm 85 mm	1 TAH2820EF2	

HAMMERS, PRY BARS & CHISELS

ERGO™ Straight Claw Hammers with Bi-Material Rubber Grip and Wire Loop

**TAH529S**

570 g	1 TAH529S-20-XL*	

Nylon Tip Mallets with Rubber Grip with Wire Loop

**TAH3625S**

374 g	1 TAH3625S-28*	

18-in-1 Aluminium Foldable Multitools with Wire Loop

**TAHMTT151**

150 mm	1 TAHMTT151	

Dead Blow Sledge Hammers with Wire Loop and Anti-Sliding Handle

**TAH3625PU**

620 g 340 mm	1 TAH3625PU-50	

Ball Pein Hammers with Wire Loop and Hickory Handle

**TAH479**

480 g 900 g	350 mm 400 mm	1 TAH479-16 1 TAH479-32



German DIN Hammers with Wire Loop

**TAH481**

300 g	300 mm	1	TAH481-300

Club Hammers with Wire Loop and Hickory Handle

**TAH484**

1000 g	260 mm	1	TAH484-1000
1500 g	280 mm	1	TAH484-1500
2000 g	305 mm	1	TAH484-2000

Safety Sledge Hammers with Wire Loop

**TAH489**

1100 g	294 mm	1	TAH489-1100
1800 g	300 mm	1	TAH489-1800
2700 g	770 mm	1	TAH489-2700
3600 g	770 mm	1	TAH489-3600
4500 g	797 mm	1	TAH489-4500
5400 g	795 mm	1	TAH489-5400

Ball Pein Hammers with Unbreakable Handle and Fixed Metallic Wire Loop

**TAH490**

1100 g	340 mm	1	TAH490-1100*

Spanish Type Bricklayer Hammers with Wire Loop

**TAH486F**

700 g	330 mm	1	TAH486F-700

Carpenter's Hammer Spike Claw with Tubular Steel Shaft with Wire Loop

**TAH485**

600 g	318 mm	1	TAH485

Non-Sparking and Anti-Magnetic Hammers with Aluminium Bronze Shackle

**TAH487**

1000 g	110 mm	1	TAHNS502-1000-FB
4500 g	895 mm	1	TAH487-5200

Steel Hexagonal Bar with Fixed Metallic Wire Loop

**TAHWBB**

391 mm		1	TAHWBB400
595 mm		1	TAHWBB600
680 mm		1	TAHWBB700

Bi-Material Parallel Punches with Safety Chuck

**TAH3734BM**

155 mm	2 mm	1	TAH3734BM-2
155 mm	3 mm	1	TAH3734BM-3
165 mm	4 mm	1	TAH3734BM-4
165 mm	5 mm	1	TAH3734BM-5
185 mm	6 mm	1	TAH3734BM-6
185 mm	8 mm	1	TAH3734BM-8
185 mm	10 mm	1	TAH3734BM-10

Bi-Material Centre Punches with Safety Chuck

**TAH3755BM**

165 mm	4 mm	1	TAH3755BM-4

Pry Bars with PVC Handle and Safety Ring

**TAH2484**

305 mm	1	TAH2484-30

MEASURING & LAYOUT

Long Measuring Tapes with Nylon Coated Blade and Open Case with Dyneema Textile Wire Loop

**TAHLTS**

30 m	13 mm	1	TAHLTS-30*

Cold Chisels with Safety Ring

**TAH3640**

250 mm	1	TAH3640-250-C

Cam Pry Bars with Bow Shackle

**TAH3683**

400 mm	1	TAH3683

Metric Stainless Steel Rulers with Dyneema Textile Wire Loop

**TAHSR300**

300 mm	1	TAHSR300-MM

Pointed Chisels with Octagonal Shank and Lacquered Copper Finish with Fixed Metallic Wire Loop

**TAH3739**

300 mm	1	TAH3739-300*

Rolling Head Pry Bars with Phosphated Body with Fixed Metallic Wire Loop

**TAH3681**

304 mm	1	TAH3681-11
406 mm	1	TAH3681-16
503 mm	1	TAH3681-20*

Scaffold Levels with Dyneema String

**TAH466**

250 mm	1	TAH466-250

* Until stocks last





Combination Squares with Dyneema String

**TAHCS300**

300 mm	125 mm	1 TAHCS300*

Carpenter Squares with Dyneema String

**TAH9048-250**

250 mm	165 mm	1 TAH9048-250*

Squares with Dyneema String

**TAH9045-B-250**

250 mm	170 mm	1 TAH9045-B-250

Callipers with Safety Ring

**TAH1150**

7 x 75 x 235 mm	1	TAH1150-1/2H/P

Offset Scribes with Wire Loop

**TAH1177**

30 g	1	TAH1177-SCRIBE

Professional Feeler Gauges with Safety Ring

**TAH1544**

105 mm	1	TAH1544

TORQUE TOOLS

Mechanical Adjustable Torque Click Wrench with Marked Scale & Interchangeable Head and Wire Loop

**TAH7465-15**

9x12 mm	3-15 N·m	1 TAH7465-15*

Mechanical Adjustable Torque Click Wrench with Marked Scale and Fixed Ratchet Head with Metallic Plate

**TAH73R**

1/2"	20-100 N·m	1 TAH73R-100
1/2"	40-200 N·m	1 TAH73R-200
1/2"	60-300 N·m	1 TAH73R-300

Torque Wrenches with Interchangeable Head and Wire Loop

**TAH74W9**

20-100 N·m	9x12 mm	1 TAH74W9-100

Reversible Ratchet Head Inserts with Locking Device

**TAH7452-2**

9x12 mm 1/2" 1 TAH7452-2*

Reversible Ratchet Insert Tools with Safety Pin Locking Mechanism

**TAH7852-1**

14X18 mm 1/2" 1 TAH7852-1*


Mechanical Adjustable Breaking Torque Wrench with Fixed Ratchet Head and Safety Eye-Bolt

**TAH74R**

3/4" 700-1500 N·m 1 TAH74R-1500

CLAMPING TOOLS

F-Clamps with Safety Bow Shackle

**TAH420SH-80-160**

160 mm 80 mm 1 TAH420SH-80-160*

OTHER TOOLS

Carbon Scrapers with Safety Spring

**TAH2487**

205 mm 1 TAH2487

Miniature Awls/Hooks/Picks Tool Set with Kevlar Textile Wire Loop

**TAH2633**

146 g 1 TAH2633/S4

Flexible Pick-up Tools with Wire Loop

**TAH2509**

560 mm 1 TAH2509

ERGO™ Magnetic Pick-ups with Dyneema String



ergo™

**TAH2535F2**

13 mm 405 mm 1 TAH2535F2

Chain Oil Filter Wrenches with D-shackle

**TAHBE64520**

520 mm 60-160 mm 1 TAHBE64520





Head Torches with Dyneema String



TAHBFRL11



90 x 95 x 115 mm



1 TAHBFRL11

Grease Pumps with Quick Link



TAHBOD54



120 x 385 x 57 mm
135 x 400 x 61 mm



1 TAHBOD5400
1 TAHBOD5450

GLOVES

General Purpose Gloves with Absorption Pad



GL008



8

10



5 GL008-8

5 GL008-10

Power Tool Gloves with Absorption Pad and Anti-Vibration Pad



GL010



8

10



5 GL010-8

5 GL010-10



info@aiebv.com

T +31 (0)165 224140

www.aiebv.com

AKKERMANS INDUSTRIAL ENGINEERING B.V.

Vijfhuizenberg 103A • 4708AJ Roosendaal (Noord-Brabant) Nederland • T (+31) 0165 224140 • info@aiebv.com • www.aiebv.com
KvK 20040320 • BTW nr. 005358012B01 • IBAN NL33 RABO 0141 2525 10 • BIC RABONL2U