

SNA-18

catalogi:online



Geïsoleerd
gereedschap
(479-492)

BAHCO



AKKERMANS
INDUSTRIAL ENGINEERING





Insulated Tools

SCREWDRIVERS

ERGO™ VDE Insulated Slotted
Screwdrivers with 3-Component Handle
2.5 mm-12 mm

ergo



BE-8010S - BE-8065S

Head Size	Length	Quantity	Model
2.5 mm	75 mm	5	BE-8010S
3.0 mm	100 mm	5	BE-8220S
3.5 mm	100 mm	5	BE-8230S
4.0 mm	100 mm	5	BE-8040S
5.5 mm	125 mm	5	BE-8050S
6.5 mm	150 mm	5	BE-8255S
8.0 mm	175 mm	5	BE-8065S
10 mm	200 mm	5	BE-8258S
12 mm	200 mm	5	BE-8259S



ERGO™ VDE Insulated Phillips
Screwdrivers with 3-Component Handle
PH0-PH4

ergo



BE-8600S - BE-8640S

Head Size	Length	Quantity	Model
PH 0	75 mm	5	BE-8600S
PH 1	80 mm	5	BE-8610S
PH1	80 mm	5	BE-8611S
PH 1	150 mm	5	BE-8612S
PH 2	100 mm	5	BE-8620S
PH 2	100 mm	5	BE-8621S
PH 2	175 mm	5	BE-8622S
PH 3	150 mm	5	BE-8630S
PH 4	200 mm	5	BE-8640S



ERGO™ VDE Insulated Pozidriv
Screwdrivers with 3-Component Handle
PZ0-PZ4

ergo



BE-8800S - BE-8840S

Head Size	Length	Quantity	Model
PZ 0	75 mm	5	BE-8800S
PZ 1	80 mm	5	BE-8810S
PZ1	80 mm	5	BE-8811S
PZ 1	150 mm	5	BE-8812S
PZ 2	100 mm	5	BE-8820S
PZ 2	100 mm	5	BE-8821S
PZ 2	175 mm	5	BE-8822S
PZ 3	150 mm	5	BE-8830S
PZ 4	200 mm	5	BE-8840S



ERGO™ VDE Insulated TORX® Head
Screwdrivers with 3-Component Handle
T5-T30

ergo



BE-8910S - BE-8930S

Head Size	Length	Quantity	Model
T 5	75 mm	5	BE-8905S
T 6	75 mm	5	BE-8906S
T 7	75 mm	5	BE-8907S
T 8	75 mm	5	BE-8908S
T 9	75 mm	5	BE-8909S
T 10	100 mm	5	BE-8910S
T 15	125 mm	5	BE-8915S
T 20	125 mm	5	BE-8920S
T 25	150 mm	5	BE-8925S
T 30	175 mm	5	BE-8930S



ERGO™ VDE Insulated Hex Socket-Head
Screwdrivers with 3-Component Handle
2.5 mm-8 mm

ergo



BE-8725S - BE-8708S

Head Size	Length	Quantity	Model
2.5 mm	100 mm	5	BE-8725S
3 mm	125 mm	5	BE-8703S
4 mm	150 mm	5	BE-8704S
5 mm	175 mm	5	BE-8705S
6 mm	150 mm	5	BE-8706S
8 mm	200 mm	5	BE-8708S



ERGO™ VDE Insulated Plus-Minus/
Phillips-Tip Screwdrivers with
3-Component Handle 5.0/PH1-6.0/PH2

ergo



BE-8510S - BE-8520S

Head Size	Length	Quantity	Model
5.0/PH1	80 mm	5	BE-8510S
6.0/PH2	100 mm	5	BE-8520S



ERGO™ VDE Insulated Plus-Minus/
Pozidriv-Tip Screwdrivers with
3-Component Handle 5.0/PZ1-6.0/PZ2

ergo



BE-8710S - BE-8720S

Head Size	Length	Quantity	Model
5.0/PZ1	80 mm	5	BE-8710S
6.0/PZ2	100 mm	5	BE-8720S



ERGO™ VDE Insulated Nut Drivers with
3-Component Handle 5.5 mm-10 mm

ergo



BE-7855S - BE-7810S

Head Size	Length	Quantity	Model
5.5 mm	125 mm	5	BE-7855S
6 mm	125 mm	5	BE-7806S
7 mm	125 mm	5	BE-7807S
8 mm	125 mm	5	BE-7808S
9 mm	125 mm	5	BE-7809S
10 mm	125 mm	5	BE-7810S



ERGO™ VDE Insulated Plus-Minus/
Pozidriv-Tip Screwdriver Set with
3-Component Handle - 2 Pcs



ergo



BE-9890S



2 175 g 1 BE-9890S

BE-8710S, BE-8720S



ERGO™ VDE Insulated Slotted and
Phillips Screwdriver Set with 3-Component
Handle - 5 Pcs



ergo



BE-9881S



5 1 BE-9881S

BE-8220S, BE-8040S, BE-8050S



BE-8611S, BE-8621S



ERGO™ VDE Insulated Slotted
and Pozidriv Screwdriver Set with
3-Component Handle - 5 Pcs



ergo



BE-9882S



5 1 BE-9882S

BE-8220S, BE-8050S, BE-8040S



BE-8811S, BE-8821S



ERGO™ VDE Insulated Plus-Minus/
Phillips, Plus-Minus/Pozidriv-Tip
Screwdriver Set with 3-Component Handle
and 150 V-250 V voltage tester - 5 Pcs



ergo



BE-9885S



5 1 BE-9885S

806-1-1

BE-8520S, BE-8510S



BE-8710S, BE-8720S



ERGO™ VDE Insulated Slotted, Pozidriv
and Plus-Minus/Pozidriv-Tip Screwdriver
Set with 3-Component Handle - 6 Pcs



ergo



BE-9884S



6 1 BE-9884S

BE-8220S, BE-8040S



BE-8710S, BE-8720S



BE-8810S, BE-8820S



ERGO™ VDE Insulated Slotted
and Pozidriv Screwdriver Set with
3-Component Handle - 7 Pcs



ergo



BE-9888S



7 1 BE-9888S

BE-8040S, BE-8050S, BE-8010S,
BE-8220S



BE-8800S, BE-8821S, BE-8830S



ERGO™ VDE Insulated Slotted and
Phillips Screwdriver Set with 3-Component
Handle - 7 Pcs



ergo



BE-9887S



7 1 BE-9887S

806-1-1

BE-8010S, BE-8050S, BE-8230S,
BE-8040S



BE-8611S, BE-8621S



ERGO™ VDE Insulated Slotted
and Pozidriv Screwdriver Set with
3-Component Handle - 7 Pcs



ergo



BE-9889S



7 1 BE-9889S

BE-8010S, BE-8040S, BE-8050S,
BE-8230S



BE-8821S, BE-8811S



806-1-1



ERGO™ Slotted, Phillips, Pozidriv, TORX® and Plus-Minus/Pozidriv Screwdriver Set with Rubber Grip - 14 Pcs



ergo®



BE-9876S



14




1 BE-9876S

BE-8010S, BE-8220S, BE-8230S, BE-8040S, BE-8050S




BE-8611S, BE-8621S



BE-8811S, BE-8821S



BE-8910S, BE-8915S, BE-8920S



BE-8710S, BE-8720S



ERGO™ Slim VDE Insulated Slotted Screwdrivers with 3-Component Handle 3.0 mm-6.5 mm



ergo®



BE-8220SL - BE-8255SL



3.0 mm	100 mm	10	BE-8220SL
3.5 mm	100 mm	10	BE-8230SL
4.0 mm	100 mm	10	BE-8040SL
5.5 mm	125 mm	10	BE-8050SL
6.5 mm	150 mm	5	BE-8255SL

ERGO™ Slim VDE Insulated Phillips Screwdrivers with 3-Component Handle PH1-PH2



ergo®



BE-8610SL - BE-8620SL



PH 1	80 mm	10	BE-8610SL
PH 2	100 mm	10	BE-8620SL

ERGO™ Slim VDE Insulated Pozidriv Screwdrivers with 3-Component Handle PZ1-PZ2



ergo®



BE-8810SL - BE-8820SL



PZ 1	80 mm	10	BE-8810SL
PZ 2	100 mm	10	BE-8820SL

ERGO™ Slim VDE Insulated TORX® Screwdrivers with 3-Component Handle T10-T30



ergo®



BE-8910SL - BE-8930SL



T 10	100 mm	5	BE-8910SL
T 15	100 mm	5	BE-8915SL
T 20	100 mm	5	BE-8920SL
T 25	125 mm	5	BE-8925SL
T 30	150 mm	5	BE-8930SL

ERGO™ Slim VDE Insulated Plus-Minus/Phillips-Tip Screwdrivers with 3-Component Handle for 5.0/PH1 - 6.0/PH2



ergo®



BE-8510SL - BE-8520SL



5.0/PH1	80 mm	10	BE-8510SL
6.0/PH2	100 mm	10	BE-8520SL


ERGO™ Slim VDE Insulated Plus-Minus/Pozidriv-Tip Screwdrivers with 3-Component Handle 5.0/PZ1 - 6.0/PZ2



ergo®



BE-8710SL - BE-8720SL



5.0/PZ1	80 mm	10	BE-8710SL
6.0/PZ2	100 mm	10	BE-8720SL

ERGO™ Slim VDE Insulated Plus-Minus/Pozidriv Screwdriver Set with 3-Component Handle - 2 Pcs



ergo®



BE-9890SL



2	175 g	1	BE-9890SL
---	-------	---	-----------

BE-8710SL, BE-8720SL



ERGO™ Slim VDE Insulated Phillips Screwdriver Set with 3-Component Handle - 2 Pcs



ergo®



BE-9891SL



2	132 g	1	BE-9891SL
---	-------	---	-----------

BE-8610SL, BE-8620SL



**ERGO™ Slim VDE Insulated Pozidriv
Screwdriver Set with 3-Component Handle
- 2 Pcs**


BE-9894SL

2	132 g	1	BE-9894SL

BE-8810SL, BE-8820SL

**ERGO™ Slim VDE Insulated TORX®
Screwdriver Set with 3-Component Handle
- 4 Pcs**


BE-9880SL

4	1	BE-9880SL

**BE-8910SL, BE-8915SL, BE-8920SL,
BE-8925SL**

**ERGO™ Slim VDE Insulated Slotted and
Phillips Screwdriver Set with 3-Component
Handle - 5 Pcs**



BE-9881SL

5	1	BE-9881SL

BE-8220SL, BE-8040SL, BE-8050SL

BE-8610SL, BE-8620SL

**ERGO™ Slim VDE Insulated Slotted
and Pozidriv Screwdriver Set with
3-Component Handle - 5 Pcs**


BE-9882SL

5	1	BE-9882SL

BE-8220SL, BE-8040SL, BE-8050SL

BE-8810SL, BE-8820SL

**ERGO™ Slim VDE Insulated Slotted,
Phillips and Torx® Screwdriver Set with
3-Component Handle - 5 pcs**


BE-9871SL


5	1	BE-9871SL

BE-8220SL, BE-8040SL

BE-8910SL

BE-8610SL, BE-8620SL

**ERGO™ Slim VDE Insulated Slotted,
Pozidriv and Torx® Screwdriver Set with
3-Component Handle - 5 pcs**


BE-9872SL

5	1	BE-9872SL

BE-8220SL, BE-8040SL




BE-8910SL

BE-8810SL, BE-8820SL

**ERGO™ Slim VDE Insulated Slotted,
Phillips, Pozidriv, Torx and Plus-Minus/
Phillips Screwdriver Set with 3-Component
Handle - 12 Pcs**


BE-9878SL

12	1	BE-9878SL

BE-8010S

**BE-8220SL, BE-8230SL, BE-8040SL,
BE-8050SL**

BE-8610SL, BE-8620SL

BE-8810SL, BE-8820SL

BE-8510SL, BE-8520SL

BE-8910SL

**BahcoFit VDE Insulated Slotted
Screwdrivers with Multi-Component
Handle 2.5 mm-12 mm**

B196

2.5 mm	75 mm	10	B196.025.075	
3 mm	100 mm	10	B196.030.100	
3.5 mm	100 mm	10	B196.035.100	
4 mm	100 mm	10	B196.040.100	
5.5 mm	125 mm	10	B196.055.125	
6.5 mm	150 mm	10	B196.065.150	
8 mm	175 mm	10	B196.080.175	
10 mm	200 mm	10	B196.100.200	
12 mm	200 mm	10	B196.120.200	
2.5 mm	75 mm	1	SB196.025.075	
3 mm	100 mm	1	SB196.030.100	
3.5 mm	100 mm	1	SB196.035.100	
4 mm	100 mm	1	SB196.040.100	
5.5 mm	125 mm	1	SB196.055.125	
6.5 mm	150 mm	1	SB196.065.150	
8 mm	175 mm	1	SB196.080.175	
10 mm	200 mm	1	SB196.100.200	
12 mm	200 mm	1	SB196.120.200	



BahcoFit VDE Insulated Phillips
Screwdrivers with Multi-Component
Handle PH0-PH4**B197PH**

PH0	75 mm	10	B197.000.075
PH1	80 mm	10	B197.001.080
PH1	150 mm	10	B197.001.150
PH2	100 mm	10	B197.002.100
PH2	175 mm	10	B197.002.175
PH3	150 mm	10	B197.003.150
PH4	200 mm	10	B197.004.200
PH0	75 mm	1	SB197.000.075
PH1	80 mm	1	SB197.001.080
PH2	100 mm	1	SB197.002.100
PH3	150 mm	1	SB197.003.150
PH4	200 mm	1	SB197.004.200

BahcoFit VDE Insulated Pozidriv
Screwdrivers with Multi-Component
Handle PZ0-PZ3**B142PZ**

PZ0	75 mm	10	B142.000.075
PZ1	80 mm	10	B142.001.080
PZ1	150 mm	10	B142.001.150
PZ2	100 mm	10	B142.002.100
PZ2	175 mm	10	B142.002.175
PZ3	150 mm	10	B142.003.150
PZ0	75 mm	1	SB142.000.075
PZ1	80 mm	1	SB142.001.080
PZ2	100 mm	1	SB142.002.100
PZ3	150 mm	1	SB142.003.150

BahcoFit VDE Insulated TORX®
Screwdrivers with Multi-Component
Handle T10-T25**B150TORX**

T10	100 mm	10	B150.010.100
T15	125 mm	10	B150.015.125
T20	125 mm	10	B150.020.125

T25	150 mm	10	B150.025.150
T10	100 mm	1	SB150.010.100
T15	125 mm	1	SB150.015.125
T20	125 mm	1	SB150.020.125
T25	150 mm	1	SB150.025.150

BahcoFit VDE Insulated Plus-Minus/
Phillips-Tip Screwdrivers with Multi-
Component Handle 5.0/PH1 - 6.0/PH2**B148**

5.0mm/PH1	80 mm	10	B148.001.080
6.0mm/PH2	100 mm	10	B148.002.100
5.0mm/PH1	80 mm	1	SB148.001.080
6.0mm/PH2	100 mm	1	SB148.002.100

BahcoFit VDE Insulated Nut Drivers with
Multi-Component Handle 5.5 mm-13 mm**B199**

5.5 mm	125 mm	5	B199.055.125
6 mm	125 mm	5	B199.060.125
7 mm	125 mm	5	B199.070.125
8 mm	125 mm	5	B199.080.125
9 mm	125 mm	5	B199.090.125
10 mm	125 mm	5	B199.100.125
11 mm	125 mm	5	B199.110.125
12 mm	125 mm	5	B199.120.125
13 mm	125 mm	5	B199.130.125
5.5 mm	125 mm	1	SB199.055.125
6 mm	125 mm	1	SB199.060.125
7 mm	125 mm	1	SB199.070.125
8 mm	125 mm	1	SB199.080.125
9 mm	125 mm	1	SB199.090.125
10 mm	125 mm	1	SB199.100.125
11 mm	125 mm	1	SB199.110.125
12 mm	125 mm	1	SB199.120.125
13 mm	125 mm	1	SB199.130.125

BahcoFit VDE Insulated Plus-Minus/
Pozidriv-Tip Screwdrivers with Multi-
Component Handle 5.0/PZ1-6.0/PZ2**B149**

5.0mm/PZ1	80 mm	10	B149.001.080
6.0mm/PZ2	100 mm	10	B149.002.100
5.0mm/PZ1	80 mm	1	SB149.001.080
6.0mm/PZ2	100 mm	1	SB149.002.100

BahcoFit VDE Insulated Slotted and
Phillips Screwdriver Set with Multi-
Component Handle - 2 Pcs**B220.002**

X	g		
2	90 g	1	B220.002

B196.030.100

B197.001.080

BahcoFit VDE Insulated Plus-Minus/
Pozidriv-Tip Screwdriver Set with Multi-
Component Handle - 2 Pcs**B220.012**

X	g		
2	182 g	1	B220.012*

B149.001.080, B149.002.100

BahcoFit VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle - 5 Pcs

**B220.005**


5



1 B220.005

B196.030.100, B196.040.100,
B196.055.125

B197.001.080, B197.002.100




BahcoFit VDE Insulated Slotted and Pozidriv Screwdriver Set with Multi-Component Handle - 5 Pcs

**B220.015**


5



1 B220.015

B196.035.100, B196.040.100,
B196.065.150

B142.001.080, B142.002.100




BahcoFit VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle - 7 Pcs

**B220.007**

7



1 B220.007

B196.030.100, B196.040.100,
B196.055.125, B196.065.150B197.000.075, B197.001.080,
B197.002.100

BahcoFit VDE Insulated Slotted and Pozidriv Screwdriver Set with Multi-Component Handle - 7 Pcs

**B220.017**

7



1 B220.017

B196.025.075, B196.040.100,
B196.055.125, B196.065.150B142.000.075, B142.001.080,
B142.002.100

BahcoFit VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle and 150 V-250 V Voltage Tester - 7 Pcs

**B220.027**

7



1 B220.027

B196.030.100, B196.040.100,
B196.055.125B197.000.075, B197.001.080,
B197.002.100

806-1-1



VDE Insulated Slotted Screwdrivers with Multi-Component Handle 3.0 mm-6.5 mm

**623**

3.0 mm	100 mm	10	623-3-100
3.5 mm	100 mm	10	623-3.5-100
4.0 mm	100 mm	10	623-4-100
5.5 mm	125 mm	10	623-5.5-125
6.5 mm	150 mm	10	623-6.5-150

VDE Insulated Phillips Screwdrivers with Multi-Component Handle PH0-PH2

**625PH**

PH 0	100 mm	10	625-0-100
PH 1	150 mm	10	625-1-150
PH 2	175 mm	10	625-2-175


VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle - 6 Pcs

**620-6**

6 620-6

623-4-100, 623-3-100, 623-5.5-125,
623-6.5-150

625-1-150, 625-2-175



Insulated Ratcheting Screwdriver with Slotted and Phillips Interchangeable Blades Set - 6 Pcs


808061

7	85 x 85 x 218 mm	5	808061

Pouch contains 6 individual blades

808060		
8610SL-2P, 8620SL-2P		
8010SL-2P, 8050SL-2P, 8220SL-2P, 8040SL-2P		

Insulated Ratcheting Screwdriver with Slotted and Pozidriv Interchangeable Blades Set - 6 Pcs


808062

7	85 x 85 x 215 mm	5	808062

Pouch contains 6 individual blades

808060		
8820SL-2P, 8810SL-2P		
8010SL-2P, 8050SL-2P, 8220SL-2P, 8040SL-2P		

Insulated Ratcheting Screwdriver with Dual-Component Handle


808060

36 mm	122 mm	1	808060

Insulated Slotted Interchangeable Blades with Reduced Diameter


8010SL-2P - 8050SL-2P

0.4 mm	2.5 mm	1	8010SL-2P
0.5 mm	3.0 mm	1	8220SL-2P
0.8 mm	4.0 mm	1	8040SL-2P
1.0 mm	5.5 mm	1	8050SL-2P

Insulated Phillips and Pozidriv Interchangeable Blades with Reduced Diameter PH1, PZ1


8610SL-2P - 8620SL-2P

1		1	8610SL-2P
2		1	8620SL-2P

Insulated Phillips and Pozidriv Interchangeable Blades with Reduced Diameter PH2, PZ2


8810SL-2P - 8820SL-2P

1		1	8810SL-2P
2		1	8820SL-2P

Insulated Plus-Minus/Phillips-Tip Interchangeable Blades with Reduced Diameter


8510SL-2P - 8520SL-2P

5.0/PH1		1	8510SL-2P
6.0/PH2		1	8520SL-2P

Insulated Combi-Tip Slotted and Pozidriv Interchangeable Blades with Reduced Diameter


8710SL-2P - 8720SL-2P

5.0/PZ1		1	8710SL-2P
6.0/PZ2		1	8720SL-2P

Insulated TORX® Interchangeable Blades with Reduced Diameter


8910SL-2P - 8930SL-2P

10		1	8910SL-2P
15		1	8915SL-2P
20		1	8920SL-2P
25		1	8925SL-2P
30		1	8930SL-2P

PLIERS

ERGO™ Side Cutting Pliers with Insulated Handles and Phosphate Finish



ergo


2101S

3.7 mm	2.0 mm	3	2101S-140
3.8 mm	2.5 mm	3	2101S-160
4.0 mm	2.7 mm	3	2101S-180

ERGO™ Side Cutting Pliers with Insulated Handles and Phosphate Finish 200 mm

**2101S-200**

4.5 mm	3.0 mm	3	2101S-200

VDE Insulated Cable Cutters

**2250V**

170 mm	0-10 mm	2	2250V-170
230 mm	0-15 mm	2	2250V-230

ERGO™ Combination Pliers with Insulated Dual-Component Handles and Phosphate Finish



ergo

**2628S**

2.0 mm	1.8 mm	3	2628 S-160
2.5 mm	2.0 mm	3	2628 S-180
3.0 mm	2.5 mm	3	2628 S-200

VDE Insulated Side Cutting Pliers

**2171V**

2.7 mm	160 mm	2	2171V-160
2.8 mm	180 mm	2	2171V-180
4.0 mm	200 mm	2	2171V-200

Insulated Bolt Cutters

**2820VBC**

630 mm	1	2820VBC

Reinforced Combination Pliers with Insulated Dual-Component Handles and Chrome Finish



ergo

**2630SC**

180 mm	3	2630SC-180

VDE Insulated End Cutting Pliers

**527V**

2 mm	160 mm	2	527V-160
2.5 mm	200 mm	2	527V-200

Side Cutting Pliers with Insulated Cellulose Acetate Handles and Nickel-Chrome Finish

**2674 NVDE**

3.7 mm	2.0 mm	1	2674 NVDE

VDE Insulated Combination Pliers

**2678V**

2.7 mm	160 mm	2	2678V-160
3.0 mm	180 mm	2	2678V-180
4.0 mm	200 mm	2	2678V-200



ERGO™ Snipe Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2430S

2.5 mm	1.8 mm	3	2430S-140
3.0 mm	1.8 mm	3	2430 S-160
3.0 mm	1.8 mm	3	2430 S-200


ERGO™ Round Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2521S

140 mm		3	2521S-140
160 mm		3	2521S-160


VDE Insulated Long Flat Nose Pliers

2421V

160 mm		2	2421V-160


ERGO™ 45° Bent Tip Snipe Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2427S

3.0 mm	1.8 mm	3	2427S-160
3.0 mm	1.8 mm	3	2427 S-200


VDE Insulated Snipe Nose Pliers

2430V

3.0 mm	160 mm	2	2430V-160
3.0 mm	200 mm	2	2430V-200


VDE Insulated Round Nose Pliers

2521V

160 mm		2	2521V-160


ERGO™ Long Flat Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2421S

140 mm		3	2421S-140
160 mm		3	2421S-160
180 mm		3	2421S-180


VDE Insulated 45° Tip Angled Snipe Nose Pliers

2427V

3.0 mm	200 mm	2	2427V-200


ERGO™ Wire Stripping Pliers with Insulated Dual-Component Handles and Phosphate Finish


2223S

165 mm		3	2223 S-150



VDE Insulated Wire Stripping Pliers

**2223V**

160 mm	0.5-5 mm	2	2223V-160



Insulated Quick-Adjust Water Pump Pliers with Dual-Component Handle

**7224S**

16	250 mm	4	7224S



ISO 8976, IEC 60900

WRENCHES

Insulated Thumb Screw Adjustable Wrenches

**8070V - 8074V**

165mm/6"	2	8070V	
205mm/8"	2	8071V	
260mm/10"	2	8072V	
310mm/12"	2	8073V	
390mm/15"	2	8074V	



Insulated Side Screw Adjustable Wrenches

**8070VL-8073VL**

160mm/6"	1	8070VL	
210mm/8"	1	8071VL	
260mm/10"	1	8072VL	
310mm/12"	1	8073VL	



Side Screw Insulated Adjustable Wrenches

**8071VLT - 8073VLT**

205mm/8"	1	8071VLT	
255mm/10"	1	8072VLT	
305mm/12"	1	8073VLT	



Insulated Open End Wrenches

**6MV**

6 mm	5	6MV-6	
7 mm	5	6MV-7	
8 mm	5	6MV-8	
9 mm	5	6MV-9	
10 mm	5	6MV-10	
11 mm	5	6MV-11	
12 mm	5	6MV-12	
13 mm	5	6MV-13	
14 mm	5	6MV-14	
15 mm	5	6MV-15	
16 mm	5	6MV-16	
17 mm	3	6MV-17	
18 mm	3	6MV-18	
19 mm	3	6MV-19	
20 mm	3	6MV-20	
21 mm	3	6MV-21	
22 mm	3	6MV-22	
23 mm	3	6MV-23	
24 mm	3	6MV-24	



27 mm	2	6MV-27
30 mm	2	6MV-30
32 mm	2	6MV-32

Insulated Offset Ring Spanners

**2MV**

6.0 mm	5	2MV-6
7.0 mm	5	2MV-7
8.0 mm	5	2MV-8
9.0 mm	5	2MV-9
10.0 mm	5	2MV-10
11.0 mm	5	2MV-11
12.0 mm	5	2MV-12
13.0 mm	5	2MV-13
14.0 mm	5	2MV-14
15.0 mm	5	2MV-15
16.0 mm	5	2MV-16
17.0 mm	3	2MV-17
18.0 mm	3	2MV-18
19.0 mm	3	2MV-19
21.0 mm	3	2MV-21
22.0 mm	3	2MV-22
23.0 mm	3	2MV-23
24.0 mm	3	2MV-24



Insulated T-Handle Socket Wrenches

**28MV**

8.0 mm	2	28MV-8
9.0 mm	2	28MV-9
10.0 mm	2	28MV-10
11.0 mm	2	28MV-11
12.0 mm	2	28MV-12
13.0 mm	2	28MV-13
14.0 mm	2	28MV-14
15.0 mm	2	28MV-15
16.0 mm	2	28MV-16
17.0 mm	2	28MV-17
18.0 mm	2	28MV-18
19.0 mm	2	28MV-19
20.0 mm	2	28MV-20
21.0 mm	2	28MV-21
22.0 mm	2	28MV-22



Insulated Hexagon L-Keys

**1999MV**

3 mm	5	1999MV-3
4 mm	5	1999MV-4
5 mm	5	1999MV-5
6 mm	5	1999MV-6
7 mm	5	1999MV-7
8 mm	5	1999MV-8
9 mm	5	1999MV-9
10 mm	3	1999MV-10
12 mm	3	1999MV-12

INSULATED SOCKETS & RATCHETS

1/2" VDE Insulated Sockets 8 mm-32 mm

**7800DMV**

8 mm	10	7800DMV-8
10 mm	10	7800DMV-10
11 mm	10	7800DMV-11
12 mm	10	7800DMV-12
13 mm	10	7800DMV-13
14 mm	10	7800DMV-14
15 mm	10	7800DMV-15
16 mm	10	7800DMV-16
17 mm	10	7800DMV-17
18 mm	10	7800DMV-18
19 mm	10	7800DMV-19
20 mm	10	7800DMV-20
21 mm	10	7800DMV-21
22 mm	10	7800DMV-22
24 mm	5	7800DMV-24
27 mm	5	7800DMV-27
30 mm	5	7800DMV-30
32 mm	5	7800DMV-32

1/2" VDE Insulated Ratchets 270 mm

**8150-1/2V**

270 mm	1	8150-1/2V

1/2" VDE Insulated T-Handles 200 mm

**8154-1/2V**

200 mm	190 mm	1 8154-1/2V

1/2" VDE Insulated Extensions 125 mm-250 mm

**8160-1/2V - 8162-1/2V**

125 mm	1	8160-1/2V
250 mm	1	8162-1/2V

SCISSORS & KNIVES

Insulated Electrician Scissors with Finger Guard

**SC127V**

50 mm	130 mm	5 SC127V

Insulated Electrician Scissors

**SC150NGV**

38 mm	150 mm	5 SC150NGV

Insulated Straight Knives

**2820VP**

50 mm	180 mm	2 2820VP

VDE Insulated Bent Knives

**2820VPC**

50 mm	180 mm	2	2820VPC

Insulated Cable Knives with Plastic Protective Cap

**2820VDE**

55.5 mm	180 mm	10	2820VDE

TWEEZERS

General Purpose Insulated Tweezers 150 mm

**2820VTEE**

145 mm		1	2820VTEE

PROTECTIVE EQUIPMENT

Insulated Fuse Pullers for NH 00-3

**2820VFP**

458 g		1	2820VFP

Insulating Mats for 1000VAC

**2820VM**

1000 mm	1000 mm	1	2820VM

Insulating Gloves 550 VAC-1000 VAC

**2820VG**

500 V		1	2820VG05
1000 V		1	2820VG10

Cotton Gloves to Wear Under Insulated Gloves

**2820VGCOT**

50 g		1	2820VGCOT

THIS ITEM IS NOT INSULATED AND HAS TO BE USED WITH INSULATED GLOVES

TOOLSETS

ERGO™ All-Round Pliers Tool Set Insulated - 3 pcs

**9897S/3**

3	50 x 180 x 400 mm	1	9897S/3

2628 S-180

1000 V

IEC60900



2101S-160

1000 V

IEC60900



2430 S-200

1000 V

IEC60900



Insulated Open End Wrench Set - 8 Pcs

**6MV/**

8 mm



1 6MV/8T

1000 V
IEC609006MV-10, 6MV-11, 6MV-12, 6MV-13,
6MV-14, 6MV-17, 6MV-18, 6MV-191000 V
IEC60900

Insulated Open End Wrench Set - 10 Pcs

**6MV/10T 1**

10 mm



1 6MV/10T

1000 V
IEC609006MV-10, 6MV-11, 6MV-12, 6MV-13,
6MV-14, 6MV-16, 6MV-17, 6MV-18,
6MV-19, 6MV-221000 V
IEC60900

1/2" VDE Insulated Socket Set - 11 Pcs

**7811DMV**

11 270 x 79 x 350 mm



1 7811DMV

1000 V
IEC609007800DMV-13, 7800DMV-10, 7800DMV-
11, 7800DMV-22, 7800DMV-17,
7800DMV-19, 7800DMV-201000 V
IEC60900

8150-1/2V

1000 V
IEC60900

8154-1/2V

1000 V
IEC60900

8160-1/2V

1000 V
IEC60900

BE-8050S

1000 V
IEC60900Foldable Case Insulated Electrician's
Toolset - 10 Pcs**3045/1VDE**

10 225 x 70 x 300 mm



1 3045/1VDE

1000 V
IEC60900BE-8010S, BE-8040S, BE-8050S, BE-
8220S, BE-8230S, BE-8255S1000 V
IEC60900

BE-8620S

1000 V
IEC60900

2171V-160

1000 V
IEC60900

2430V-160

1000 V
IEC60900

2678V-180

1000 V
IEC60900Leather Briefcase Insulated Electrician's
Toolset - 10 Pcs**3045V-1**

10 60 x 240 x 330 mm



1 3045V-1

1000 V
IEC60900

2171V-160

1000 V
IEC60900

2678V-180

1000 V
IEC60900

2223V-160

1000 V
IEC60900

BE-8220S, BE-8040S, BE-8050S

1000 V
IEC60900

BE-8610S, BE-8620S

1000 V
IEC60900

2820VP

1000 V
IEC60900

SC127V

1000 V
IEC60900Insulated Toolset within Leather Bag - 19
Pcs**3045V-2**

19 200 x 285 x 445 mm



1 3045V-2

1000 V
IEC60900

2171V-160

1000 V
IEC60900

2678V-180

1000 V
IEC60900

2430V-160

1000 V
IEC60900

2223V-160

1000 V
IEC60900BE-8220S, BE-8040S, BE-8050S,
BE-8255S1000 V
IEC60900

BE-8610S, BE-8620S

1000 V
IEC609006MV-10, 6MV-11, 6MV-13, 6MV-12,
6MV-14, 6MV-17, 6MV-191000 V
IEC60900

2820VP

1000 V
IEC60900

SC150NGV

1000 V
IEC60900



info@aiebv.com

T +31 (0)165 224140

www.aiebv.com

AKKERMANS INDUSTRIAL ENGINEERING B.V.

Vijfhuizenberg 103A • 4708AJ Roosendaal (Noord-Brabant) Nederland • T (+31) 0165 224140 • info@aiebv.com • www.aiebv.com
KvK 20040320 • BTW nr. 005358012B01 • IBAN NL33 RABO 0141 2525 10 • BIC RABONL2U