

SNA-22

catalogi:online



Meetgereedschap
(525-534)

BAHCO



AKKERMANS
INDUSTRIAL ENGINEERING





Measuring & Layout

MEASURING TAPES

Double-Sided Measuring Tapes with Rubber Grip



MTS

L	W	Q	Model
5 m	25 mm	6	MTS-5-25
5 m	25 mm	6	MTS-5-25-E
8 m	25 mm	6	MTS-8-25
8 m	25 mm	6	MTS-8-25-E

Short Measuring Tapes with Rubber Grip



MTB

L	W	Q	Model
3 m	16 mm	6	MTB-3-16
3 m	16 mm	6	MTB-3-16-M
3 m	16 mm	6	MTB-3-16-M-E
5 m	25 mm	6	MTB-5-25
5 m	25 mm	6	MTB-5-25-M
5 m	25 mm	6	MTB-5-25-M-E
8 m	25 mm	6	MTB-8-25
8 m	25 mm	6	MTB-8-25-M
8 m	25 mm	6	MTB-8-25-M-E

Short Measuring Tapes with Rubber Grip Class-I



MTB_C1

L	W	Q	Model
5 m	25 mm	6	MTB-5-25-C1

Short Measuring Tapes with Positive Locking Button



MTG

L	W	Q	Model
3 m	16 mm	12	MTG-3-16
3 m	16 mm	12	MTG-3-16-E
5 m	19 mm	12	MTG-5-19
5 m	19 mm	12	MTG-5-19-E
8 m	25 mm	4	MTG-8-25
8 m	25 mm	4	MTG-8-25-E

Short Measuring Tapes with ABS Grip Compact Class-I



MTC_C1

L	W	Q	Model
3 m	13 mm	6	MTC-3-13-C1
5 m	16 mm	6	MTC-5-16-C1

Short Measuring Tapes with ABS Grip Compact Class-II



MTC_C2

L	W	Q	Model
3 m	13 mm	6	MTC-3-13
5 m	16 mm	6	MTC-5-16

COMPACT 3 M x 13 mm METRIC MEASURING TAPE



MT-TS-3

L	W	Q	Model
3 m	13 mm	12	MT-TS-3

Short Measuring Tapes with Steel Blade



1162N

L	W	Q	Model
3 m	13 mm	1	1162N-1/2

Adhesive Steel Bench Measuring Tapes



BT

L	W	Q	Model
3 m	13 mm	12	BTR-3-13
6 m	13 mm	12	BTR-6-13
3 m	13 mm	12	BTL-3-13
6 m	13 mm	12	BTL-6-13

Long Measuring Tapes with Steel Blade



LTG

L	Blade Width	Quantity	Model
10 m	10 mm	6	LTG-10
20 m	10 mm	6	LTG-20
30 m	10 mm	6	LTG-30

Long Measuring Tapes with Nylon Coated Blade



LTB

L	Blade Width	Quantity	Model
10 m	13 mm	6	LTB-10
20 m	13 mm	6	LTB-20
30 m	13 mm	6	LTB-30

Long Measuring Tapes with Steel Blade and Open Case



LT-STEEL

L	Blade Width	Quantity	Model
30 m	13 mm	5	LT-STEEL-30
50 m	13 mm	5	LT-STEEL-50

Long Measuring Tapes with Nylon Coated Blade and Open Case



LTS

L	Blade Width	Quantity	Model
30 m	13 mm	5	LTS-30
30 m	13 mm	5	LTS-30-E
50 m	13 mm	5	LTS-50
50 m	13 mm	5	LTS-50-E
100 m	13 mm	5	LTS-100
100 m	13 mm	5	LTS-100-E

MEASURING WHEELS

Metric Rubber Coated Measuring Wheels 150 mm



MW-150

L	Quantity	Model
150 mm	2	MW-150

Metric Rubber Coated Measuring Wheels 250 mm



MW-250

L	Quantity	Model
940 mm	2	MW-250

SPIRIT LEVELS

Thick Shaped Aluminium Profile Spirit Levels



466

L	Quantity	Model
400 mm	4	466-400
400 mm	4	466-400-M
600 mm	4	466-600
600 mm	4	466-600-M
800 mm	4	466-800
800 mm	4	466-800-M
1000 mm	4	466-1000
1000 mm	4	466-1000-M
1200 mm	4	466-1200
1200 mm	4	466-1200-M
1800 mm	4	466-1800
2000 mm	4	466-2000

Rectangular Aluminium Profile Spirit Levels



426

L	Blade Width	Quantity	Model
400 mm	49x22 mm	1	426-400
600 mm	49x22 mm	1	426-600
800 mm	49x22 mm	1	426-800
1000 mm	49x22 mm	1	426-1000
1200 mm	49x22 mm	1	426-1200

400 mm and 600 mm with 2 vials. 600 mm to 1200 mm with 3 vials



Light Aluminium Spirit Levels

**416**

400 mm	10	416-400
600 mm	10	416-600
800 mm	10	416-800
1000 mm	10	416-1000
1200 mm	10	416-1200
1500 mm	10	416-1500
1800 mm	10	416-1800
2000 mm	10	416-2000

Level made from solid injected aluminium

**405**

400 mm	5	405-400
600 mm	5	405-600
800 mm	10	405-800
1000 mm	5	405-1000

Magnetic Level, Solid Injected Aluminium

**405_M**

400 mm	5	405-400-M
600 mm	5	405-600-M
800 mm	5	405-800-M
1000 mm	5	405-1000-M

Lightweight Level made from solid injected aluminium

**405L**

400 mm	10	405L-400
600 mm	10	405L-600

Lightweight Magnetic Level made from solid injected aluminium

**405L_M**

400 mm	5	405L-400-M
600 mm	5	405L-600-M

Solid Injected Aluminium Spirit Levels

**406**

300 mm	1	406-300
400 mm	5	406-400
500 mm	5	406-500
600 mm	5	406-600
800 mm	5	406-800

Solid Injected Aluminium Magnetic Spirit Levels

**406_M**

300 mm	1	5 406-300-M
400 mm	1	5 406-400-M
500 mm	1	5 406-500-M
600 mm	1	5 406-600-M

Polystyrene Spirit Levels

**406P**

400 mm	10	406P-400
600 mm	10	406P-600

Spirit Level Set 600/1200/1800 mm - 3 Pcs/Carry Bag

**416-SET+BAG**

3	1	416-SET+BAG

416-SET-1**4750-LV-1**

BAHCO



Spirit Level Set 600/1200/1800 mm - 3 Pcs

**416-SET-1**

3



5 416-SET-1

416-600, 416-1200, 416-1800



Spirit Level Set 600/1200/2000 mm - 3 Pcs

**416-SET-2**

3



5 416-SET-2

416-600, 416-1200, 416-2000



Magnetic Plastic Spirit Torpedo Levels

**406T-225**

228 mm



10 406T-225

DISP is a counter display with 12 units

Aluminium Spirit Torpedo Levels

**426TOR9**

230 mm



10 426TOR9

Aluminium Spirit Scaffold Levels

**466-250**

250 mm



10 466-250

Aluminium Spirit Line Levels 75 mm

**466-LINE**

75 mm



12 466-LINE

Flat Surface 2-Way Spirit Levels

**466-BE1**

20 g



13 x 45 x 60 mm



12 466-BE1

Magnetic Spirit Levels for Fence Post

**466-POST**

120 x 75 x 80 mm



6 466-POST

Aluminium Straight Edge Spirit Levels

**486**

1800 mm

2000 mm

2400 mm



5 486-1800

5 486-2000

5 486-2400

Aluminium Straight Edge Spirit Levels
Unhandled**486-xxxWH**

1800 mm

2000 mm

2400 mm



5 486-1800WH

5 486-2000WH

5 486-2400WH

Double T-Profile Spirit Precision Levels

**496**

1500 mm

1800 mm



5 496-1500

5 496-1800



Spare Vial for 496 Levels

**496-SPARE**

496-1500, 496-1800

1 496-SPARE

MARKING

Chalk Lines 5x Rewind

**CL-1441**

185 mm

36 CL-1441

Chalk Lines 1x Rewind

**CL-1331**

185 mm

48 CL-1331

Chalk Lines 3x Rewind

**CL-1221**

130 mm

6 CL-1221

Marking Chalk 227 g/Pour Bottle

**CHALK**

227 g

6 CHALK-BLUE

227 g

6 CHALK-WHITE

227 g

6 CHALK-RED

227 g

6 CHALK-YELLOW

Chalk Line Set 1x Rewind - 2 Pcs

**CL-1441-SET**

605 g

16 CL-1441-SET

CL-1441

CHALK-BLUE

Chalk Line Set 3x Rewind - 3 Pcs

**CL-1221-SET**

180 g

4 CL-1221-SET

CHALK-BLUE

466-LINE

CL-1221

Plumb Bobs with 5 m Cord

**PBS**

5 m

6 PBS-700

Plumb Bobs with Hardened Steel Tip

**PBB**

185 mm

227 g

8 PBB-8

HB Grade Pencils - 25 Pcs/Box

**P-HB**

175 mm	25	25 P-HB

FSC Certificate Code: QMI-COC-001417 File No.: 1627439

HB Grade Pencils - 200 Pcs/Display

**PENCIL-200**

180 mm	200	1 PENCIL-200-DISP

HB Grade Pencils

**P-MEC**

150 mm	1	24 P-MEC
100 mm	5	12 P-MEC-LEAD

Scribers with Interchangeable Carbide Point

**1179-SCRIBE**

150 mm	5 1179-SCRIBE 1 1179-TIPS

Tungsten Carbide Scribers

**1178-SCRIBE**

150 mm	5 1178-SCRIBE

High Performance Alloy Steel Offset Scribers

**1177-SCRIBE**

230 mm	5 1177-SCRIBE

RULES

5-Section Wooden Folding Rules 1 m

**WR1**

1 m	17 mm	50 WR1
1 m	17 mm	50 WR1-MM

10-Section Wooden Folding Rules 2 m

**WR2**

2 m	17 mm	25 WR2
2 m	17 mm	25 WR2-MM

Wooden Folding Rules with 12 Section 2 m

**WR2-12**

2 m	17 mm	25 WR2-12

Metric and Imperial Flexible Stainless Steel Rulers

**1179-FLX**

160 mm	12 mm	25 1179-FLX



Metric Stainless Steel Rulers



SR_MM

L	W	Pcs	Model
150 mm	19 mm	12	SR150-MM
200 mm	19 mm	12	SR200-MM
300 mm	25 mm	12	SR300-MM
600 mm	30 mm	20	SR600-MM
1000 mm	35 mm	20	SR1000-MM

Imperial Stainless Steel Rulers



SR_IN

L	W	Pcs	Model
6 in	6 in	12	SR150-E
8 in	8 in	12	SR200-E
12 in	12 in	12	SR300-E
24 in	24 in	20	SR600-E
39 in	40 in	20	SR1000-E

SQUARES

Carpenter Squares with Steel Blade



9045-B

L	W	Pcs	Model
220 mm	170 mm	6	9045-B-200
250 mm	170 mm	6	9045-B-250
300 mm	170 mm	6	9045-B-300
400 mm	170 mm	1	9045-B-400

Carpenter Squares with Stainless Steel Blade and Sliding Marker



9048

L	W	Pcs	Model
200 mm	165 mm	10	9048-200
250 mm	165 mm	10	9048-250

L	W	Pcs	Model
300 mm	180 mm	10	9048-300
350 mm	180 mm	10	9048-350
400 mm	180 mm	10	9048-400

Construction Squares for Layout and Setting Up



3085

L	W	Pcs	Model
400 mm	200 mm	1	308504000
500 mm	250 mm	1	308505000
600 mm	300 mm	1	308506000
800 mm	400 mm	1	308508000
1000 mm	500 mm	1	308510000

Sliding Combination Squares with Metal Scriber



CS

L	W	Pcs	Model
152 mm	90 mm	12	CS150
305 mm	125 mm	12	CS300
407 mm	125 mm	12	CS400

Spare parts, 4 pcs set.

Spare parts Kit for CS Model Sliding Squares - 4 Pcs



CS-SPARE

L	W	Pcs	Model
CS150, CS300, CS400		1	CS-SPARE

Sliding Bevel Squares with Cold-Rolled Steel Blade



9572

L	W	Pcs	Model
235 mm	115 mm	20	9572-200
250 mm	150 mm	20	9572-250

Bevel Squares with Steel Blade



9574

L	W	Pcs	Model
215 mm	165 mm	10	9574-200
285 mm	170 mm	10	9574-250
300 mm	170 mm	10	9574-300

Fixed Bevel Squares with Stainless Steel Blade



9575

L	W	Pcs	Model
250 mm	110 mm	6	9575-250

Flat Carpenter Squares with Steel Blade

**FCS-600/FCS-1000**

600 mm	300 mm	6	FCS-600
800 mm	300 mm	6	FCS-800
1000 mm	360 mm	6	FCS-1000

Adjustable Precision Squares

**AS-1200**

1265 mm	560 mm	3	AS-1200

PRECISION MEASURING

Precision Measuring Digital Callipers with LCD Screen

**1150D**

150 mm	25 x 90 x 245 mm	1	1150D

Mechanical Callipers

**1150**

150 mm	9 x 75 x 235 mm	1	1150-1/2H/P

Professional Feeler Gauges with 20 Blades

**1547**

20	100 mm	20	1547

0,05 mm steps Carbon steel

Professional Feeler Gauges with 26 Blades

**1544**

26	100 mm	1	1544

0,03 mm to 0,1 mm in 0,01 mm increments / 0,10 mm to 1,0 mm in 0,05 mm increments

Screw Pitch Gauges with Metric 60°

**1535**

24	67 mm	1	1535

Stainless steel

Professional Feeler Gauges with 13 Blades

**1546**

100 mm		1	1546

(0,05-0,30) x 0,05mm (0,30-1,00) x 0,10 mm Carbon steel

Screw Pitch Gauges with Metric 60° and Whitworth 55°

**1537**

0.25-6.0 / 4/62	70 mm	1	1537

0,25-6,00 mm, 4 to 62 TPI Stainless steel





BAHCO®



info@aiebv.com

T +31 (0)165 224140

www.aiebv.com

AKKERMANS INDUSTRIAL ENGINEERING B.V.

Vijfhuizenberg 103A • 4708AJ Roosendaal (Noord-Brabant) Nederland • T (+31) 0165 224140 • info@aiebv.com • www.aiebv.com
KvK 20040320 • BTW nr. 005358012B01 • IBAN NL33 RABO 0141 2525 10 • BIC RABONL2U