

SNA-28

catalogi:online



Klemmen
en bankschroeven
(573-576)

BAHCO



AKKERMANS
INDUSTRIAL ENGINEERING





Clamps & Vices

CLAMPS

Quick Clamps with 200 kg Force



QCB

L		
456 mm	6	QCB-150
606 mm	6	QCB-300
756 mm	6	QCB-450
906 mm	4	QCB-600
1206 mm	4	QCB-900
1556 mm	8	QCB-1250

Quick Clamps with 125 kg Force



QCG

L		
380 mm	6	QCG-150
530 mm	6	QCG-300

High Resistance Quick Clamps with 70 kg Maximum Force



QC

X	L	
1	230 mm	12 QC-115A
2	230 mm	6 QC-115A-2P
1	305 mm	6 QC-150A
2	305 mm	6 QC-150A-2P
1	475 mm	6 QC-300A
2	475 mm	4 QC-300A-2P

-2P: Twin Pack

F-Clamps with Steel T-Handle 90 mm



3066

L			
250 mm	90 mm	5	306601500
300 mm	90 mm	5	306602000
400 mm	90 mm	5	306603000
510 mm	90 mm	5	306604000

F-Clamps with Steel T-Handle 120 mm



3067

L			
415 mm	125 mm	5	306703000
510 mm	125 mm	5	306704000
610 mm	125 mm	5	306705000
710 mm	125 mm	5	306706000
910 mm	125 mm	5	306708000
1115 mm	125 mm	5	306710000
1310 mm	125 mm	2	306712000
1610 mm	125 mm	2	306715000

F-Clamps with Steel T-Handle 150 mm



3068

L			
430 mm	155 mm	5	306803000
535 mm	155 mm	5	306804000
640 mm	155 mm	2	306805000
730 mm	155 mm	2	306806000
820 mm	155 mm	2	306808000
1135 mm	155 mm	2	306810000
1335 mm	155 mm	2	306812000
1630 mm	155 mm	1	306815000
2130 mm	155 mm	1	306820000

F-Clamps with Steel T-Handle 220 mm



3069

L			
430 mm	225 mm	2	306903000
540 mm	225 mm	2	306904000
638 mm	225 mm	2	306905000
730 mm	225 mm	2	306906000
932 mm	225 mm	2	306908000
1130 mm	225 mm	2	306910000

F-Clamps with Rubberised Handle



420SH

L			
100 mm	50 mm	10	420SH-50-100
200 mm	50 mm	10	420SH-50-200
120 mm	60 mm	12	420SH-60-120
300 mm	60 mm	12	420SH-60-300
160 mm	80 mm	12	420SH-80-160
200 mm	100 mm	10	420SH-100-200
250 mm	120 mm	8	420SH-120-250
300 mm	120 mm	8	420SH-120-300
400 mm	120 mm	6	420SH-120-400
500 mm	120 mm	6	420SH-120-500
600 mm	120 mm	6	420SH-120-600
800 mm	120 mm	6	420SH-120-800
1000 mm	120 mm	6	420SH-120-1000
1250 mm	120 mm	6	420SH-120-1250
1500 mm	120 mm	6	420SH-120-1500
400 mm	140 mm	6	420SH-140-400
400 mm	175 mm	6	420SH-175-400

Handy Spring Clamps with Movable Gripping Surface

**420SC**

25 mm	60 g	10	420SC-25
50 mm	120 g	5	420SC-50

Heavy Duty Round Guide Bench Vices with Interchangeable Jaws, Suitable for Swivel Base

**6010**

80 mm	1	601000800
100 mm	1	601001000
125 mm	1	601001250
150 mm	1	601001500

Pair of Spare Pipe Jaw Set for 834V-4, 834V-7 & 6072 Bench Vices

**833P**

100 mm	1	833PJ-4
125 mm	1	833PJ-5
150 / 175 mm	1	833PJ-67

BENCH VICES

Heavy Duty Square Guide Bench Vices with Interchangeable Jaws

**834V**

100 mm	1	834V-4
125 mm	1	834V-5
150 mm	1	834V-6
175 mm	1	834V-7

Slide adjustment screw to regulate the looseness with pipe holding jaws

Round Guide Portable Bench Vices with Interchangeable Jaws

**834V-2**

63 mm	1	834V-2

Spare Spindles and Nuts for 6072 and 834V Bench Vices

**6070H**

100 mm	1	6070H1000
125 mm	1	6070H1250
150 mm	1	6070H1500
175 mm	1	6070H1750

Heavy Duty Square Guide Bench Vices with Interchangeable Jaws, Suitable for Swivel Base

**6072**

100 mm	1	607201000
125 mm	1	607201250
150 mm	1	607201500
175 mm	1	607201750

Pair of Spare Jaws and Screws for 6072 and 834V Bench Vices

**6072M**

100 mm	834V-4, 607201000	1	6072M1000
150 mm	834V-6, 607201500	1	6072M1500
175 mm	834V-7, 607201750	1	6072M1750

125 mm size jaw common for round & square models

Pair of Spare Jaws and Screws for 6010 Bench Vice

**6010M**

80 mm	601000800	1	6010M0800
100 mm	601001000	1	6010M1000
125 mm	834V-5, 607201250, 601001250	1	6010M1250
150 mm	601001500	1	6010M1500

125 mm size jaw common for round & square models



Spare Spindles and Bolts for 6010 Bench Vice

**6010H**

		
80 mm	1	6010H0800
100 mm	1	6010H1000
125 mm	1	6010H1250
150 mm	1	6010H1500

Pair of Spare Aluminium Jaws with magnetic strip

**833AJ**


		
100 mm	1	833AJ-4
125 mm	1	833AJ-5
150 mm	1	833AJ-6

Pair of Spare Jaws for 834V-2 Table Vice

**6040M/H**

		
63 mm	1	6040M0630

Pair of Spare Polyurethane Jaws with magnetic strip

**833FJ**

		
100 mm	1	833FJ-4
125 mm	1	833FJ-5
150 mm	1	833FJ-6

BENCH VICE ACCESSORIES

Swivel Bases for 6010/6072 and 834V Bench Vices

**833SB**

			
80 mm	100 mm	1	833SB-4
100 mm	125 mm	1	833SB-5
125 mm	150 mm	1	833SB-6
150 mm	175 mm	1	833SB-7



info@aiebv.com

T +31 (0)165 224140

www.aiebv.com

AKKERMANS INDUSTRIAL ENGINEERING B.V.

Vijfhuizenberg 103A • 4708AJ Roosendaal (Noord-Brabant) Nederland • T (+31) 0165 224140 • info@aiebv.com • www.aiebv.com
KvK 20040320 • BTW nr. 005358012B01 • IBAN NL33 RABO 0141 2525 10 • BIC RABONL2U