

SNA-30

catalogi:online



Bijlen
en Wiggen
(585-588)

BAHCO



AKKERMANS
INDUSTRIAL ENGINEERING




BahcoFit VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle - 5 Pcs

**B220.005**

5

1 B220.005

B196.030.100, B196.040.100,
B196.055.125



B197.001.080, B197.002.100




BahcoFit VDE Insulated Slotted and Pozidriv Screwdriver Set with Multi-Component Handle - 5 Pcs

**B220.015**

5

1 B220.015

B196.035.100, B196.040.100,
B196.065.150



B142.001.080, B142.002.100



BahcoFit VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle - 7 Pcs

**B220.007**

7

1 B220.007

B196.030.100, B196.040.100,
B196.055.125, B196.065.150



B197.000.075, B197.001.080,
B197.002.100




BahcoFit VDE Insulated Slotted and Pozidriv Screwdriver Set with Multi-Component Handle - 7 Pcs

**B220.017**


7

1 B220.017

B196.025.075, B196.040.100,
B196.055.125, B196.065.150



B142.000.075, B142.001.080,
B142.002.100




BahcoFit VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle and 150 V-250 V Voltage Tester - 7 Pcs

**B220.027**


7

1 B220.027

B196.030.100, B196.040.100,
B196.055.125



B197.000.075, B197.001.080,
B197.002.100



806-1-1



VDE Insulated Slotted Screwdrivers with Multi-Component Handle 3.0 mm-6.5 mm

**623**

3.0 mm	100 mm	10	623-3-100
3.5 mm	100 mm	10	623-3.5-100
4.0 mm	100 mm	10	623-4-100
5.5 mm	125 mm	10	623-5.5-125
6.5 mm	150 mm	10	623-6.5-150

VDE Insulated Phillips Screwdrivers with Multi-Component Handle PH0-PH2

**625PH**

PH 0	100 mm	10	625-0-100
PH 1	150 mm	10	625-1-150
PH 2	175 mm	10	625-2-175

VDE Insulated Slotted and Phillips Screwdriver Set with Multi-Component Handle - 6 Pcs

**620-6**

6

1 620-6

623-4-100, 623-3-100, 623-5.5-125,
623-6.5-150



625-1-150, 625-2-175



Insulated Ratcheting Screwdriver with Slotted and Phillips Interchangeable Blades Set - 6 Pcs


808061

7	85 x 85 x 218 mm	5 808061

Pouch contains 6 individual blades

808060		
8610SL-2P, 8620SL-2P		
8010SL-2P, 8050SL-2P, 8220SL-2P, 8040SL-2P		

Insulated Ratcheting Screwdriver with Slotted and Pozidriv Interchangeable Blades Set - 6 Pcs


808062

7	85 x 85 x 215 mm	5 808062

Pouch contains 6 individual blades

808060		
8820SL-2P, 8810SL-2P		
8010SL-2P, 8050SL-2P, 8220SL-2P, 8040SL-2P		

Insulated Ratcheting Screwdriver with Dual-Component Handle


808060

36 mm	122 mm	1 808060

Insulated Slotted Interchangeable Blades with Reduced Diameter


8010SL-2P - 8050SL-2P

0.4 mm	2.5 mm	1 8010SL-2P
0.5 mm	3.0 mm	1 8220SL-2P
0.8 mm	4.0 mm	1 8040SL-2P
1.0 mm	5.5 mm	1 8050SL-2P

Insulated Phillips and Pozidriv Interchangeable Blades with Reduced Diameter PH1, PZ1


8610SL-2P - 8620SL-2P

1		1 8610SL-2P
2		1 8620SL-2P

Insulated Phillips and Pozidriv Interchangeable Blades with Reduced Diameter PH2, PZ2


8810SL-2P - 8820SL-2P

1		1 8810SL-2P
2		1 8820SL-2P

Insulated Plus-Minus/Phillips-Tip Interchangeable Blades with Reduced Diameter


8510SL-2P - 8520SL-2P

5.0/PH1		1 8510SL-2P
6.0/PH2		1 8520SL-2P

Insulated Combi-Tip Slotted and Pozidriv Interchangeable Blades with Reduced Diameter


8710SL-2P - 8720SL-2P

5.0/PZ1		1 8710SL-2P
6.0/PZ2		1 8720SL-2P

Insulated TORX® Interchangeable Blades with Reduced Diameter


8910SL-2P - 8930SL-2P

10		1 8910SL-2P
15		1 8915SL-2P
20		1 8920SL-2P
25		1 8925SL-2P
30		1 8930SL-2P

PLIERS

ERGO™ Side Cutting Pliers with Insulated Handles and Phosphate Finish



ergo


2101S

3.7 mm	2.0 mm	3 2101S-140
3.8 mm	2.5 mm	3 2101S-160
4.0 mm	2.7 mm	3 2101S-180

ERGO™ Side Cutting Pliers with Insulated Handles and Phosphate Finish 200 mm

**2101S-200**

4.5 mm	3.0 mm	3	2101S-200

VDE Insulated Cable Cutters

**2250V**

170 mm	0-10 mm	2	2250V-170
230 mm	0-15 mm	2	2250V-230

ERGO™ Combination Pliers with Insulated Dual-Component Handles and Phosphate Finish



ergo

**2628S**

2.0 mm	1.8 mm	3	2628 S-160
2.5 mm	2.0 mm	3	2628 S-180
3.0 mm	2.5 mm	3	2628 S-200

VDE Insulated Side Cutting Pliers

**2171V**

2.7 mm	160 mm	2	2171V-160
2.8 mm	180 mm	2	2171V-180
4.0 mm	200 mm	2	2171V-200

Insulated Bolt Cutters

**2820VBC**

630 mm	1	2820VBC

Reinforced Combination Pliers with Insulated Dual-Component Handles and Chrome Finish



ergo

**2630SC**

180 mm	3	2630SC-180

VDE Insulated End Cutting Pliers

**527V**

2 mm	160 mm	2	527V-160
2.5 mm	200 mm	2	527V-200

Side Cutting Pliers with Insulated Cellulose Acetate Handles and Nickel-Chrome Finish

**2674 NVDE**

3.7 mm	2.0 mm	1	2674 NVDE

VDE Insulated Combination Pliers

**2678V**

2.7 mm	160 mm	2	2678V-160
3.0 mm	180 mm	2	2678V-180
4.0 mm	200 mm	2	2678V-200



ERGO™ Snipe Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2430S

2.5 mm	1.8 mm	3	2430S-140
3.0 mm	1.8 mm	3	2430 S-160
3.0 mm	1.8 mm	3	2430 S-200


ERGO™ Round Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2521S

140 mm		3	2521S-140
160 mm		3	2521S-160


VDE Insulated Long Flat Nose Pliers

2421V

160 mm		2	2421V-160


ERGO™ 45° Bent Tip Snipe Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2427S

3.0 mm	1.8 mm	3	2427S-160
3.0 mm	1.8 mm	3	2427 S-200


VDE Insulated Snipe Nose Pliers

2430V

3.0 mm	160 mm	2	2430V-160
3.0 mm	200 mm	2	2430V-200


VDE Insulated Round Nose Pliers

2521V

160 mm		2	2521V-160


ERGO™ Long Flat Nose Pliers with Insulated Dual-Component Handles and Phosphate Finish


2421S

140 mm		3	2421S-140
160 mm		3	2421S-160
180 mm		3	2421S-180


VDE Insulated 45° Tip Angled Snipe Nose Pliers

2427V

3.0 mm	200 mm	2	2427V-200


ERGO™ Wire Stripping Pliers with Insulated Dual-Component Handles and Phosphate Finish


2223S

165 mm		3	2223 S-150





info@aiebv.com

T +31 (0)165 224140

www.aiebv.com

AKKERMANS INDUSTRIAL ENGINEERING B.V.

Vijfhuizenberg 103A • 4708AJ Roosendaal (Noord-Brabant) Nederland • T (+31) 0165 224140 • info@aiebv.com • www.aiebv.com
KvK 20040320 • BTW nr. 005358012B01 • IBAN NL33 RABO 0141 2525 10 • BIC RABONL2U