

SNA-32

catalogi:online



Koevoeten
(597-600)

BAHCO



AKKERMANS
INDUSTRIAL ENGINEERING





Pry Bars

WRECKING BARS

Adjustable Pry Bars with V-Claw 260 mm



APB260

260 mm	410 g	10	APB260*

Adjustable Pry Bars with V-Claw 360 mm



APB360

360 mm	543 g	10	APB360*

Pry Bar Crowfoots with Precise End



CFP250

250 mm	6	CFP250

Pry Bar Crowfoot with Precise End 330 mm - 12 Pcs/Display Pack



CFP250-DISP

12	50 x 280 x 330 mm	12	CFP250-DISP*

12x CFP250

CFP250x 12

Premium Wrecking Bars with Bent and Flat End



WBP

14 mm	346 mm	20	WBP300
16 mm	487 mm	12	WBP500
17 mm	625 mm	12	WBP625
17 mm	704 mm	10	WBP710
20 mm	890 mm	6	WBP900

Wrecking Bars with Bent and Flat End



WBB

391 mm	14 mm	10	WBB400
500 mm	16 mm	10	WBB500
595 mm	18 mm	10	WBB600
680 mm	18 mm	6	WBB700

810 mm	18 mm	6	WBB800
1000 mm	20 mm	4	WBB1000
1200 mm	20 mm	4	WBB1200
1500 mm	22 mm	4	WBB1500

Flat Wrecking Bars with Bent and Flat End



WBF380

374 mm	35 mm	12	WBF380

Mini Flat Wrecking Bars with Bent and Flat End



WBMF190

18 mm	188 mm	24	WBMF190

Mini Flat Wrecking Bars with Bent and Flat End - 15 Pcs/Display



WBMF190IP

39 g	15	WBMF190IP

WBMF190x 15

BAHCO®

Wrecking Bar Set - Flat, Mini & Premium
with End 621 mm**WBP-3P-6FMF**

3000 g



1 WBP-3P-6FMF

WBP625

WBF380

WBMF190

Flat & Premium Wrecking Bar Set

**WBP-3P-96F**

6000 g




1 WBP-3P-96F

WBP900, WBP625

WBF380





BAHCO®



info@aiebv.com

T +31 (0)165 224140

www.aiebv.com

AKKERMANS INDUSTRIAL ENGINEERING B.V.

Vijfhuizenberg 103A • 4708AJ Roosendaal (Noord-Brabant) Nederland • T (+31) 0165 224140 • info@aiebv.com • www.aiebv.com
KvK 20040320 • BTW nr. 005358012B01 • IBAN NL33 RABO 0141 2525 10 • BIC RABONL2U